Profits 9-2/11 C

ACO Cil, From Mining, State global

Form approved.

Budget Bureau No. 42-R1425.

SUBMIT IN TRIPLIC (Other instructions on reverse side)


UNITED STATES

		OGICAL SURVE	ΞΥ				5. LEASE DESIGNATION U-16539	
APPLICATIO	ON FOR PERMIT	TO DRILL, D	DEEP	EN, OR	PLUG BA	ACK	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME
1a. TYPE OF WORK b. TYPE OF WELL OIL WELL	RILL A	DEEPEN [81	PI	UG BACI		7. UNIT AGREEMENT N. FIGHT MILE 8. FARM OR LEASE NAM	FLAT UNIT
2. NAME OF OPERATOR								
	MINING & OII	L COMPANY					9. WELL NO.	
3. ADDRESS OF OPERATO	ver ap, vernal	. итан 8	4078	3			3-1	
							10. FIELD AND POOL, O	
At surface	(Report location clearly an			=			WILDCAT	
660' FEL 8	, 1980' FNL Se	ec. 3, T9S	-R18	BE, SLM			11. SEC., T., R., M., OR E AND SURVEY OR AR	LK. Ea
At proposed prod. 2	SAME	SENE	-				Sec.3, T9	S-R18E
14. DISTANCE IN MILE	S AND DIRECTION FROM NE	AREST TOWN OR POST	OFFICE	E.	,		12. COUNTY OR PARISH	13. STATE
21 Miles	Southeast of	Myton, Ut	ah				Uintah	Utah
15. DISTANCE FROM PRO LOCATION TO NEAR PROPERTY OR LEASI (Also to nearest d	EST	660'		520.39	,		OF ACRES ASSIGNED HIS WELL 40	
18. DISTANCE FROM PE TO NEAREST WELL, OR APPLIED FOR, ON 1	DRILLING, COMPLETED,	NONE		600	8		er or cable tools	
	whether DF, RT, GR, etc.)						22. APPROX. DATE WO	
4890 Gr.,	Ungraded						October 3	1,1981
23.		PROPOSED CASIN	G ANI	CEMENTIN	G PROGRAI	•		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	ют	SETTING	DEPTH		QUANTITY OF CEMEN	T
12½	8 5/8"	40.0#	new	300		Cir	c. to surfac	e
7 7/8	5½"	15.5	new	5600	1	400	sx.	
,	1 ~				i			

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING DATE: 12-9-

	Coo Macoo	Sontombor 23	1001
SIGNED Kibert Elevington	Sec. Treas	DATE September 23,	1201
(This space for Federal or State office use)			
PERMIT NO.	APPROVAL DATE		
APPROVED BY	TITLE	DATE	

795, R 18E, S.L.B.&M.



X = Section Corners Located

PROJECT

HIKO BELL MINING & OIL COMPANY

Well location, EIGHT MILE FLAT UNIT #3-/, located as shown in the SE 1/4 NE 1/4 Section 3, T9S, R I8 E, S.L.B.& M. Uintah County, Utah.




CERTIFICATE


THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

> REGISTRATION Nº 2454 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING P.O. BOX Q - 85 SOUTH - 200 EAST VERNAL, UTAH - 84078

SCALE " = 1000	DATE 10 / 25 / 81
PARTY D.K. B.K. BFW	REFERENCES GLO Plat
WEATHER Clear & Cool	FILE HIKO BELL





HIKO BELL MINING & OIL COMPANY Section 3, T9S, R18E, S.L.M.

Uintah County, Utah

DRILLING PLAN

- 1. The geologic name of the surface formation is in the Tertiary Uinta Formation.
- 2. Estimated tops of important geologic markers are as follows:

Green River Formation	1845
Wasatch Tongue	5795
Wasatch Formation	6315
Proposed T.D.	5600

3. Oil or gas may be encountered in the Green River and Wasatch Formations. No other formations are expected to produce water, oil, gas, or other minerals in measureable quantities.

4.	Size of Hole	Size of Casing & Wt./ft.	Setting Depth	Quantity of Cement
	124"	8 5/8", 40.0#, new	3001	Circ to surface
	7 7/8"	5½", 15.50#, new	6500 '	440 sx.

- 5. Operator's minimum specifications for pressure control equipment is a 10", 3000 psi hydraulic blowout preventer. Blowout preventer will be tested daily. Refer to Diagram "C".
- 6. Fresh water base drilling mud will be used for the entire drilling operations, utilizing a dispersed mud system to a total depth. Mud weight will be controlled by controlling drilling solids. Barite will be used for weighing material in the event that abnormal pressures are encountered. Total system volume will be 350 barrels, not including potential reserve pit volume.
- 7. Auxiliary equipment is as follows:
 - (1) Kelly Cocks
 - (2) Bit Floats(3) A full opening-quick close drill pipe valve is to be located on the derrick floor at all times.
- 8. Commercial shows of oil and gas will be tested. We are anticipating drill stem tests in the Wasatch and Green River Formations. No coring is anticipated.

DRILLING PLAN, Continued Hiko Bell Mining & Oil Company Section 3, T9S, R18E, S.L.M. Uintah County, Utah

Page Two

The logging program is as follows:


(1) Mud logging unit: from 300' to T.D.


- (2) Dual Induction Laterlog-T.D. to base of surface casing.
- (3) BHC-Gamma Ray Sonic w/Caliper, Integrated T.D. to base of surface casing.
- (4) Formations Density/Compensated Neutron: Zones of interest.
- 9. No abnormal pressures or temperatures are anticipated. No potential hazards such as hydrogen sulfide are expected, based upon well experience in the area.
- 10. The anticipated starting date:


HIKO BELL MINING & OIL COMPANY

Robert E. Covington Secretary - Treasurer Manager Exploration

Vernal, Utah







HIKO BELL MINING & OIL COMPANY

13 Point Surface Use Plan

For

Well Location

8 Mile Flat #3-1

Located In

Section 3, T9S,R18E, S.L.B.& M.

Uintah County, Utah

HIGO BELL MINING & COMPANY

E Mile Flat

Section 5, T9S, R18E, S.L.B.& M.

1. EXISTING ROADS

To reach Hiko Bell Mining & Oil Company well location 8 Mile Flat 3-1 located in the SE½ NE½ Section 3, T9S, R18E, S.L.B.& M., Uintah County, Utah; proceed Southwesterly out of Myton, Utah along U.S. Highway 40 - 1.5 miles to the junction of this Highway and Utah State Highway 53, to the South; proceed Southerly along this Highway 1.5 miles more or less, to the intersection of Utah State Highway 53 and Utah State Highway 216, thence proceed Southeasterly along Utah State Highway 216 10.9 miles to the junction of this road and an existing road to the East; proceed Easterly along this service road 4 miles to a junction of a northeasterly road. Proceed 1.9 miles, and go east at the juction 1.3 miles to proposed site location of the south side of the road.

The Highways mentioned in the foregoing paragraph are bituminous surfaced roads up to the intersection of Utah State Highway 53 and 216, at which point Utah State Highway 216 is constructed out of existing native materials that are prevalent to the existing area. It is located in and ranges from clay to sandy-clay shale materials, as are the aforementioned dirt oil field service roads and other roads in the vicinity.

There is no anticipated construction on any portion of the above described roads. They will meet the necessary standards required to facilitate an orderly flow of traffic during the drilling phase, completion phase, and production phase, of the well. These roads will be maintained at the standards required by the B.L.M. or other controlling agencies.

2. PLANNED ACCESS ROAD

See Topographic Map "B". There will be no planned access road. The existing road described in Item #1 goes to the location site.

LOCATION OF EXISTING WELLS

See Topographic Map "B".

There are no known's production wells, abandoned wells, temporarily abandoned wells, water wells, disposal wells, drilling wells, shut in wells, injection wells, monitoring or observation wells for other resources within a one mile radius of this location site.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

There are no Hiko Bell Mining & Oil Company tank batteries, production facilities, oil gathering lines, gas gathering lines, injection lines, or disposal lines within a mile radius of this location site.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES - cont...

In the event that production is established, plans for a flowline from this location to existing lines in the area will be submitted to the proper authorities and the existing area of the location will be utilized for the establishment of the necessary production facilities.

The total area that is needed for the production of this well will be fences and cattleguards which will be utilized for access to these facilities.

The area will be built if possible, with native materials and if these materials are not available, then the necessary arrangements will be made to get them from private sources.

These facilities will be constructed using bulldozers, graders, and workmen crews to construct and place the proposed facilities.

If there is any deviation from the above, all appropriate agencies will be notified.

Rehabilitation of disturbed areas no longer needed for operations after construction is completed will meet the requirements of Item #10.

5. LOCATION OF AND TYPE OF WATER SUPPLY

Water to be used for the drilling and production of this well will be hauled by truck from the Duchesne River, at a point where Highway 40 crosses it North of Myton, Utah, approximately 21.5 miles to the North of the proposed location site.

In the event that the above source is not used, other arrangements will be made with the proper authorities for an alternate source.

All regulations and guidelines will be followed and no deviations will be made unless all concerned agencies are notified.

There will be no water well drilled at this location site.

6. SOURCES OF CONSTRUCTION MATERIALS

All construction material for this location site and access road shall be borrow materials accumulated during the construction of the location site and access road. No additional road gravels or pit lining materials from other sources are anticipated at this time, but if they are required the appropriate actions will be taken to acquire them from private sources.

The native materials that will be used in the construction of this location site and access road will consist of a sandy-clay soil and sandstone and shale material gathered in actual construction of the road and location.

7. METHODS FOR HANDLING WASTE DISPOSAL

A reserve pit shall be constructed, and at least half of the depth of the reserve pit shall be below the existing ground surface. Non-flammable materials such as cuttings, salts, chemicals, etc., will be buried in the reserve pit and covered with a minimum of four feet of earth materials. Prior to the onset of drilling, the reserve pit will be fenced on three sides. Upon completion of drilling, the fourth side of the reserve pit will be fenced and allowed to dry completely before backfilling and reclamation are attempted. A portable toilet will be supplied for human waste.

A trash basket will be provided for flammable materials. Waste will be hauled by truck to the nearest sanitary landfill.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time, and none foreseen in the near future.

9. WELL SITE LAYOUT

See attached Location Layout Sheet.

The B.L.M. District Manager shall be notified before any construction begins on the proposed location site and road.

As mentioned in Item #6, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lines with a gel and any other type of material necessary to make it safe and tight.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See Location Layout Sheet and Item #9). When all drilling and production activities have been completed, the location site and access road will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash basket will be hauled to the nearest sanitary landfill. The reserve pit will be completely fenced and allowed to dry before covering. When restoration activities have been completed, the location site and access ramp shall be reseeded with a seed mixture recommended by the B.L.M. District Manager when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said cleanup and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Items #7 and #10.

8 Mile Flat Section 3, T9S, R18E, S.L.B.& M.

11. OTHER INFORMATION

The Topography of the General Area - (See Topographic Map "A").

The area is a basin that lies between the Book Cliff Mountains to the South and the Uinta Mountains to the North. The area is interlaced with numerous canyons and ridges which are extremely steep with numerous ledges formed in sandstone, conglomerates, and shale deposits.

The majority of the washes and streams in the area are non-perennial streams and flow to the Southeast and are tributaries to the Green River.

The soils of the semi-arid area are of the Uinta Formation and Duchesne River Formation (the Fluvial, Sandstone, Mudstone) from the Eocene and Quaternary Epoch (gravel surfaces) and the visible geologic structures consist of light brownish clay (OL) to sandy soils (SM-ML) with poorly graded gravels and shales with outcrops of rock (sandstone, mudstone, conglomerates, and shales).

Due to the low precipitation average, climatic conditions and the marginal types of soils, the vegetation that is found in the area is common of the semi-arid region we are located in and in the lower elevations of the Uinta Basin. It consists of, as primary flora, areas of sagebrush, rabbitbrush, some grasses, cacti, and large areas of bare soils devoid of any growth. In the areas that are formed along the edges of perennial streams cottonwoods, willows, tamarack, sagebrush, rabbitbrush, grasses, and cacti can be found.

The fauna of the area is sparse and consists predominantly of mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to the area.

The birds of the area are raptors, finches, ground sparrow, magpies, crows, and jays.

The area is used by man for the primary purpose of grazing domestic livestock.

The Topography of the Immediate Area (See Topographic Map "B").

8 Mile Flat 3-1 location site sits on a sloping hillside south of a non-perennial drainage which drains into the Castle Peak Draw located approximately .3 mile to the north of the location. Castle Peak Draw drains into the Green River to the east.

The geologic formation at the location is in the Uinta Formation and consists of light brownish-gray clay (SP-CL) with some sandstone outcrops.

The ground slopes to the northeast through the location at approximately 0.2% grade.

HIKO BELL MINING & OCOMPANY & Mile Flat Section 3, T9S, R18E, S.L.B.& M.

11. OTHER INFORMATION - cont...

The location is covered with some sagebrush and grasses.

There are no occupied swellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

Robert E. Covington
HIKO BELL MINING & OIL COMPANY
P.O. Drawer AB
Vernal, Utah 84078

1-801-789-3233

13. CERTIFICATION


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access road route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operation proposed herein will be performed by HIKO BELL MINING & OIL COMPANY and its contractors and subcontractors in conformity with this plan and terms and conditions under which it is approved.

Date

Robert E. Covington

Secretary - Treasurer

Manager Exploration




III SLOPE
(TYP)


STA 3+00


APPROX YARDAGE


CUT 2,593 Cu Yos

FILL 2,359 Cu Yos











United States Department of the Interior

Conselvation Division
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

February 2, 1981

General Outline for the Protection and Isolation of Ground Water and Oil Shale in the Uinta Basin.

The oil shale occurs with varying thicknesses in most parts of the Uinta Basin and at varying depths. Ground water also occurs at varied depths above and below the Oil Shale. These ground waters have varying degrees of salinity. Nonetheless, drilling for hydrocarbon in the Uinta Basin should provide for the protection of the oil shale and the ground water if either is present.

The protection of the oil shale and the ground water can effectively be carried on through the design of an adequate casing and cementing program for each well drilled in the area.

In the Uinta Basin, water occurs mainly in the Uinta and the Green River formations. As drilling for hydrocarbon gets deeper into the crust of the earth, more ground water might be encountered and will be protected as it is encountered.

This notice's purpose is to attempt to lay the groundwork for a casing program and cementing program that will protect the oil shale and the ground water if present.

These programs are to be considered as guidelines. The specificity of casing depth, amount of cement and the depth of staging collars will be considered on an individual basis after a careful study of the logs of each individual well. Cementing from the bottom up is an economical solution if carefully conducted.

The casing and cementing program presented here as an example, will assume that fresh water was encountered in the upper parts of the Green River, that the oil shale occurs in the middle of the Green River (1000 foot section) and that some ground water is encountered in the lower parts of the Green River.

In this case, three areas will have to be cemented to assure the integrity of the ground water and oil shale. These areas are above the upper fresh water, across the oil shale and below the lower water aquifer. Deep aquifers that do not contain useful water are cemented to prevent water zone influence on production.

The following casing and cementing program will be appropriate for this example:

A. Surface casing is set at approximately 300 feet and cemented to the surface.

- B. The next casing string will be set at approximately 300 feet below the lowest aquifer. Comenting will be done in three stages, using two stage collars and cement baskets or equivalent as described below and on attached sketches:
 - 1. Cement first stage through the casing shoe to fill annulus back to base of lower aquifer.
 - 2. Place 1st stage collar (with cement basket immediately below) at a selected point at the base of the oil shale. Cement will have to reach top of oil shale.
 - 3. Place 2nd stage collar (with cement basket immediately below) 50 feet above the top of the Bird's Nest aquifer and cement to at least 300 feet above the stage collar.
- C. The above is an example. Reasonable equivalents that accomplish these same protective measures, (such as cementing the water zones instead of isolating them), depending on the individual cases will be considered for approval.
- D. When the above mentioned well is to be abandoned, inner-casing plugs will have to be placed at the same depth as the above mentioned annulus cement jobs.

The use of cement bond logs will verify the authenticity of the cement job performed.

E. The Operator of such well should notify U.S.G.S. 48 hours prior to commencement of casing and cementing activity, so a technician could be dispatched to witness the operations to verify compliance with casing and cementing program.


Attached Sketches:


- 1. Schematic of the required casing and cementing program.
- 2. Cross section of the Uinta Basin.
- 3. Schematic of the general ground water protection program.

E. W. Guynn
District Oil and Gas Supervisor


AHR/kr

FOR WELLS IN THE EIGHT MILE FLAT UNIT UINTAH CO. UTAH





View east of cross section of Uinta Basin showing stratigraphy and intertonguing of Tertiary rocks. Ute Tribal-I (in cross section) is located about 8 miles southeast of the application area.





RCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

588 West 800 South Bountiful, Utah 84010 Tel: (801) 292-7061 or 292-9668

November 2, 1981

Archeological Evaluations of Proposed Well Locations Subject:

in the 8 Mile Flat Locality of Uintah County, Utah

Hiko Bell Mining and Oil Company - Locations: Project:

Belco 7-1 and No. 3-1

Project No.: HBMO-81-2

U.S. Dept. of Interior, 81-Ut-179 Permit:

Mr. Kenneth Young, Hiko Bell Mining and Oil Company, To:

3rd West Main, Vernal, Utah 84078

Mr. Lloyd Ferguson, District Manager, Bureau of Land Management, 170 South 500 East, Vernal, Utah

84078

Mr. Ralph Heft, Area Manager, Diamond Mountain Resource Area, Bureau of Land Management, P.O. Box F, Vernal, Utah 84078

R. L. Jacobs Oil and Gas Company, 2467 Commerce

Blvd., Grand Junction, Colorado 81501

Mr. Richard Fike, Archeologist, Bureau of Land Info: Management, University Club Bldg., 136 East

South Temple, Salt Lake City, Utah 84111

·: u.s.	For BLM Use Only
Department of the Interio	BLM Report No.
Bureau of Land Management Utah State Office	Report Acceptable Yes No
Summary Report of Inspection for Cultural Resources	Mitigation Acceptable Yes No Comments:
Report Title 8 MILE FLAT WELL LOCATI	ONTS
Development Company Hiko Bell Mining	g and Oil Company - Jacobs Oil and Gas
Report Date 1 2 1 9 8 1	4. Antiquities Permit No. <u>81-Ut-179</u>
Responsible Institution AF H C (1	HBMQ-81-2) County Uintah
Fieldwork Location: TWN [9 S] Range	2 1 8E Section(s) 3 7 1 1 1 66 69 Section(s) 3 70.70 72.73 74.75 76.73
TWN Range	
Resource Area DM TWN Range	
PO: PONY EXPRESS, BR: BEAR RIVER, PR: PRICE RIVER, BC: BOOK CLIFFS, HR: HOUSE RANGE, SE: SEVIER RIVER, HM: HENRY MOUNTAINS, BE: BEAVER RIVER, DX: DIX KA: KANAB : 45: ESCAL ANTE, SJ: SAN JUAN, GR: GRASR : SAN RAYAEL, DM: DIAMOND MOUNTAIN,	WS=WARM SPRINGS Fill in spaces 65,69,81,85,97,101 Only if V=Vernal Meridian ND H=Half Township
Description of Examination Procedures:	
The archeologist, F. R. Hauck, wall on the proposed well locations and	ked a series of 15 meter wide transects access roads.
Linear Miles Surveyed [2 5 1 1 1 17	10. Inventory Type
Definable Acres Surveyed 118 123	R= Reconnaisance
Legally Undefinable Acres Surveyed 411111	S= Statistical Sample
(*A pargel hard to cadastrally locate i.e., Enter of . Description of Findings (attach appendi	ces, if appropriate) 12. Number Sites Found: O -
No cultural resources of any histor	No sites = 0 131 13
period were recorded during the eva	aluations. 13, Collection: $\frac{N}{136}$ Y=Yes, N=No
Actual/Potential National Register Prop	erties Affected:
A.A.	Places has been consulted and no National
Conclusion/Recommendations:	·
AERC recommends that a cultural res Hiko Bell Mining and Oil Company fo to the following stipulations:	r this project, based on adherence
Signature and Title of Testinia	(over)
Signature and Title of Institutional Of	F. R. Hauck, Ph.D. (lyde)
	President

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9-329-1 Rev. Feb 76
OMB 42-RO356

MONTHLY REPORT
OF
OPERATIONS

(Continued)

Lease No	<u>U-16539</u>			
Communitizat	_	nt No		
Unit Name _	Eight Mi	le Flat Unit		
Participating i	Area		· · · · · · · · · · · · · · · · · · ·	
County	<u> Uintah</u>	Sta	ate <u>Utah</u>	
Operator	Hiko Bell	l Mininia &	Oil Co.	

☐ Amended Report

The following is a continuation of the report of operations and production (including status of all unplugged wells) for the month of November , 19^{81}

(See Reverse of Form 9-329 for Instructions)

Well No.	Sec. & 14 of 14	TWP	RNG	Well Status	Days Prod.	*Barrets of Oil	*MCF of Gas	*Barrels of Water	Remarks
3-1		95	18E	Drilling					Spud 11-24-81 Jacobs Drilling Co. Rig # 2 Drill 11" hole to 305'. Ran 7 jts. 8 5/ Casing. Set at & cemented with 110 SX. Drille 305' to 2403 wi 7 7/8" bit.





United States Department of the Interior

T & R U-801

VERNAL DISTRICT OFFICE 170 South 500 East Vernal, Utah 84078

November 16, 1981

Ed Guynn, District Engineer USGS, Conservation Division 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

Re: Joint Onsite Inspection Hiko Bell Mining & Oil Company T9S, R18E, Sec. 3, Well #3-1 T9S, R18E, Sec. 7, Well #7-1

Dear Mr. Guynn:

On November 16, 1981, a joint onsite inspection was made of the above referenced well site locations and proposed access roads by people representing Hiko Bell Mining, Ross Construction, USGS, and the BLM. We feel that the surface use and operating plans are adequate with the following stipulations:

- 1. Construction and maintenance of roads, rehabilitation of disturbed areas, and construction of pipeline routes shall be in accordance with surface use standards as set forth in the booklet, "Surface Operating Standards for Oil and Gas Exploration and Development."
- The maximum width of access roads will be 30 feet total disturbed area.
 Turnouts will not be required and traveling off the right-of-way will not be allowed.
- 3. Topsoil will be stockpiled as addressed in the applicants 13 point plan. Our office recommends the top 6-10 inches of soil materials be stockpiled.
- 4. The BLM will be notified at least 24 hours prior to any construction.
- 5. The BLM will be notified at least 24 hours prior to any rehabilitation.
- 6. A burn pit will not be constructed. There will be no burying of garbage or trash at the location. All trash must be contained and hauled to an approved disposal site.
- 7. All permanent (on site for six (6) months duration or longer) structures constructed or installed shall be painted a flat (non-reflective) earth tone color to match Tnemec 23-08351 Mesa Brown Enduratione or an approved equal. Facilities that are required to comply with 0.S.H.A. (Occupational Safety and Health Act) standards are excluded.
- 8. At location #7-1, the topsoil will be stockpiled at point #8 and the excess cut material will be placed at point #6.

An archaeological clearance has been conducted by Archaeological - Environmental Research Corporation of the proposed drill sites and access roads. No cultural materials were located on the surface of the survey areas.

The proposed activities do not jeopardize listed, threatened, or endangered flora/fauna and their habitats.

Sincerely,

Kalph/Heft Area Manager

Diamond Mountain Resource Area

cc: USGS, Vernal

** FILE NOTATIONS **

DATE: 11-2481
OPERATOR: Like Mining & Cil 60. WELL NO:
Location: Sec. 3 T. 95 R. 18E County: Thintak
File Prepared: [Entered on N.I.D: []
Card Indexed: Completion Sheet:
API Number 43-047-31/27
CHECKED BY:
Petroleum Engineer: M.J Mandy 12-9-81
Director:
Administrative Aide: <u>Unit</u> Well
APPROVAL LETTER:
Bond Required: Survey Plat Required:
Order No O.K. Rule C-3
Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site
Lease Designation []
Approval Letter Written
Hot Line P.1.

SUBMIT IN TRIPL'

(Other instruction) reverse side)

Form approved. Budget Bureau No. 42 R1425.

	UNITED STATES
DEPARTMENT OF THE INTERIOR	DEPARTMENT OF THE INTERIOR

			GICAL SURVE	ΞΥ				U	-16539	AND SERIAL NO.
A	TIPE OF WORK	ILL Ž	TO DRILL, E		 	UG BAC	······································	7. UNIT AC	GREEMENT N	
	NAME OF OPERATOR FIVE PELL CODESS OF OPERATOR P.C. DRAWITOGRAPHON OF WELL (R AL Soldage	MINING & CIL CR AP, VERNAL report location clearly and 1980' FNL Se SAME	, UTAH, 8	4078	tate requirem	MULTIPE ZONE		9. WELL N 3 10. FIELD	-1 AND FOOL, C ILDCAT ., R., M., OR I CEVET OR AR	DE WILDCAT
4.		and disection from NEA Southeast of							r or Parish tah	Utah
	DISTANCE FROM PROPE LOCATION TO NEARES: PROPERTY OR LEASE I (Also to nearest dr) DISTANCE FROM PROP TO NEAREST WELL, D	r INE, FT. g. unit line, if any) POSED LOCATION* RILLING, COMPLETED,	NONE	19. PR	OF ACRES IN 520.39 OPPOSED DEPTH		20. BOTAL	F ACEES ASS HIS WELL BY OR-CABLE OTATY	40	· · · · · · · · · · · · · · · · · · ·
ī. 3.	or applied por, on the elevations (Show who 4890 Gr.,	ether DF, RT, GR, etc.)	IVCIVE				, A	22. APPRO	_	BE WILL START*
3 .			PROPOSED CASIN	G AND	CEMENTIN	G PROGRA	M			
_	SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	от	SETTING			QUANTI	TI OF CEMEN	(T
_	12½ 7 7/8	8_5/8" 5½"	40.0# 1 15.5		300 5600		400		NOT	ENDUGH ECT OIL
						•	,,,,,	-	_	

NOV 2 4 1981

DIVISION OF OIL, GAS & MINING

zone. If proposal is to drill or deepen directionally, give pertipreventer program, if any.	inent data on subsurface locations and mea	sured and true vertical depths. Give blowout
SIGNED Pibert E Siertnigten	Sec. Treas	September 23, 1981

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive

(This space for Federal or State office use)

APPROVAL DATE

FUR E. W. GUYNN TITLE ___DISTRICT OIL & GAS SUPERVISOR

NOV 1 9 1981

SHALE E GRESH WATERS

CONDITIONS OF APPROVAL ATTACHED

TO OPERATOR'S COPY

"See Instructions On Reverse Side

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A **DATED 1/1/80**

NOTICE OF APPROVAL State Od 6

United States Department of the Interior
Geological Survey
2000 Administration Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION
Operator Hiko Bell Mining and Oil Company.
Operator Hiko Bell Milling and GI
Project TypeOil Well
659' FEL & 1980' FNL - Sec. 3, T. 9S, R. 18E
3-1 Lease No. <u>U-16539</u>
Date Project Submitted November 6, 1981
Date Project Submitted November 9, 1
November 16, 1981
FIELD INSPECTION Date November 16, 1981
Field Inspection Participants Greg Darlington - USGS, Vernal
Participants Greg Darlington oses, Gary Slagel - BLM, Vernal
Bud Covington - Hiko Bell
Gordon Lebaron - Jacobs Drilling
Earl Cady - Ross Construction
With Resource Analysis, Duchesne Planning
Related Environmental Documents: Unit Resource Analysis, Duchesne Planning
Unit, BLM, Vernal
I have reviewed the proposal in accordance with the categorical exclusion to guidelines. This proposal would not involve any significant effects and, there-
fore does not represent an and the
2 De lington
November 17, 1981 Environmental Scientist
Date Prepared
I concur
11/8/8/ District Supervisor
Date

.PROPOSED ACTION:

Hiko Bell Mining and Oil Company plans to drill the Eight Mile Flat Unit #3-1 well, a 6500' oil and gas test of the Green River and Wasatch Formations. Minor upgrading to existing roads will be involved and no new roads will be required. A pad 200' x 300' and a reserve pit 100' x 150' are planned for the location.

RECOMMENDED APPROVAL CONDITIONS:

The operator agrees to accept and adhere to the following conditions in addition to the plans outlined in the APD:

- 1. BLM stipulations;
- 2. lease stipulations; and
- provide adequate logs for the identification of other minerals as requested in the Mineral Evaluation Report and Mining Report.

FIELD NOTES SHEET

Date of Field Inspection: November 16, 1981	
Well No .: Eight Mile Hat	
Lease No.: <u>V-16539</u>	<i>,</i> .
Approve Location:	
Approve Access Road:	-
Modify Location or Access Road: Bood plans.	

Evaluation of Criteria for Categorical Exclusion

- 1. Public Health and Safety
- 2. Unique Characteristics
- 3. Environmentally Controversial Items
- 4. Uncertain and Unknown Risks
- 5. Establishes Precedents
- 6. Cumulatively Significant
- 7. National Register Historic Places
- 8. Endangered/Threatened Species
- 9. Violate Federal, State, Local, or Tribal Laws

If this project is not eligible for Categorical Exclusion circle the numbers of the above criteria requiring the preparation of an EA.

comments and special conditions of approval discussed at onsite: (include local topography) Discussing in T.D: I assum the mean 6500', Public shall have which bud, further is a partner in the 7-1 well muster also in the 3-1

public a mit obligation with. They are eager to start pushing dirt on Widnesday and might of inchaelogy has been done. Relatively easy location to build. The Justo rig or #11-1 about 2 miles will very non become available. Persilly one man AID from Hike Bell will be with the not 1981 probably in the next 3-4 needs.

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

Criteria 516 DM 2.3.A	Feder Corre- spondence (date)	Fal/State Ap Frone check (date)	Meeting (date)	Local and private correspondence (date)	Previous NEPA	Other studies and reports	Staff expertise	Onsite inspection (date)	Other
Public health	(date)						1,2,4,6	November 16, 1981	(
and safety Unique characteristics							1,2,4,6		!
Environmentally controversial							1,2,4,5		
Uncertain and unknown risks						•	1, 2, 4, 6		
Establishes precedents							1,2,4,6	<u>.</u>	
Cumulatively significant						·	1,2,4,6		1
. National Register historic places		·					1,6		,
. Endangured/ threatened species							1,6		
. Violate Federal, State, local, tribal low							1,2,4,6		

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

- Surface Management Agency Input
- Reviews Reports, or information received from Geological Survey (Conservation Division, Geological Division, Water Resource Division, Topographic Division) 2. Topographic Division)
- Lease Stipulations/Terms 3.
- Application Permit to Drill
- Operator Correspondence
- Field Observation 6.
- Private Rehabilitation Agreement
- Onsite Requirements Other than the Items 10-70 8.



West View Hike Bell #3-1

December 10, 1981

Hiko Bell Mining & Oil Company P. O. Drawer AB Vernal, Utah 84078

RE: Well No. Eghht Mile Flat Unit 3-1 Sec. 3, T. 9%, R. 18E, Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

MICHAEL T. MINDER - Petroleum Engineer

Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31127.

Sincerely, DIVISION OF OIL, GAS AND MINING

Cleon B. Feight

Director

CBF/as

cc: State Lands

USGS

14.

15.

18.

21.

23.

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

DELYNTHEIT OF THE INTENTON							5. LEASE DESIGNATION AND SERIAL NO	
	บ-16539							
APPLICATIO	N FOR PERMIT	TO DRILL,	DEEPEN,	OR P	LUG B	ACK	6. IF INDIAN, ALLOTTER	OR TRIBE NAME
1a. TYPE OF WORK DR	AS OTHER	DEEPEN		PLI	UG BAC	к 🗆	7. UNIT AGREEMENT N. Eight Mile 1 8. FARM OR LEASE NAM	Flat Unit
FIKO FFIL F. 8. ADDRESS OF OPERATOR	INING & OIL COM	PANY					9. WELL NO. 3-1	
4. LOCATION OF WELL + F.	AB, Vernal, Ut	l in accordance wi		requireme	nts.*)		10. FIELD AND POOL, O	R WILDCAT
At proposed prod. zor							11. SEC., T., E., M., OE E AND SURVEY OF AR Sec. 3-T9S-R181	ea -
	and disection from NEA atheast of Myto	<u> </u>	T OFFICE*			7	12. COUNTY OF PARISH Uintah	13. STATE Utah
13. DISTANCE FROM PROPO LOCATION TO NEAREST PROPERTY OR LEASE 1 (Also to nearest dr);	r INE, FT. r. unit line, if any)	6601	16. NO. OF		LEASE		OF ACRES ASSIGNED HIS WELL 40	
or applied for, on this lease, ft. NONE 6500						er or cable tools		
21. ELEVATIONS (Show who 4890 Gr., Ur				, ~-		8 : A	Dec.14, 19	
23	F	PROPOSED CASI	NG AND CE	MENTING	PROGRAI	d		
RIZE OF HOLE	SIZE OF CASING	WEIGHT PER P	00Т	SETTING DI	ЕРТН		QUANTITY OF CEMEN	T
12 ¹ 8 5/8" 40.0# new 300' Circ				Circ.	to surface			

Propose to deepen from briginal depth of 5600' to 6500'

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING DATE: 12/15

JEC 1 4 1981

DIVISION CF OIL, GAS & MILLS

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive some. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

RICHED Schut Elevington	TITLE Sec. Treas.	:	DATE Dec. 11, 1981
(This space for Federal or State office use)			
PERMIT NO.	APPROVAL DATE		
APPROVED BY	TITLE	1 H	DATE

Form 9-311 (May 1968)		UN ED STATES		IT IN TRIP	CATE	Form a Budget	pproved. Bureau No.	42-R1424.
	_	MENT OF THE I	NIERIOR verse	ide)		D. LEASE DESIGN.	ATION AND S	erial wo.
		EOLOGICAL SUR				U-16539 B. IF INDIAN, ALI	ATTER OF T	IDE WAVE
(Do not use	UNDRY NOT this form for propose Use "APPLICA	CES AND REPC	DRTS ON WEL or plug back to a diffe for such proposals.)	LS erent reservat		TO THE PARTY AND	~1155 UR 1.	
OIL TER GAR				July State of the		. UNIT AGREEME	NT NAME	
WELL LA WEI				12.	V V	Eight M:		at ·
		Oil Company	Ē	뒤 (<u>S</u> '	. FARM OR LEAS	E NAME	
. ADDRESS OF OPER	ATOR		<u> </u>	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Care 6	. WELL HO.		
P.O. Drav	ver AB, Ve	ernal, Utah,	84078 65	ည		3-1		
See also space 17 At surface	below.)	ernal, Utah,	with any State gradition	ments.		O: FIELD AND PO Wildcat	OL, OR WILD	CAT
			\$ 9	² γ Ω	7	1. SEC., T., R., M.	OR BLK. AN	D
660 FEL 8	1980 FNL	Section 3	MINING	C	المسيدة	SURVEY OR	AREA	
14. PERMIT NO.				6.		Sec.3 T95		
14. PERMIT NO.		15. ELEVATIONS (Show w	thether DF, RT, GR, etc.)		1	2. COUNTY OR PA	1	
6.					<u> </u>	Uintah	Uta	<u>an</u>
0.	•	propriate Box To Ind	licate Nature of No	otice, Repo	rt, or Oth	er Data		
	NOTICE OF INTENT	TON TO:	_		SUBSEQUEN	T REPORT OF:		
TEST WATER SHU		ULL OR ALTER CASING	WATER	SHUT-OFF		REPAIR	ING WILL	
PRACTURE TREAT		ULTIPLE COMPLETE		URE TREATME?	- 	ALTERI	DAIRTO DA	X
SHOUT OR ACIDIZI		BANDON*		ING OR ACIDIZ	ING	ABANDO	nment*	_
(Other)	<u> </u>	HANGE PLANS	(Other			· · · · · · · · · · · · · · · · · · ·		لـــا
	D OR COMPLETED OPER If well is direction	ATIONS (Clearly state all sally drilled, give subsurf	! (completion or	Recompletion	multiple completed Report and Localization Report and Localization Report and Localization Report Re	r form.)	
7. DESCRIBE PROPOSE proposed work nent to this work Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean	give pertinen sured and tru	Recompletions de vertical d	en Report and Lo	eg form.) I date of starkers and so	
7. DESCRIBE PROPOSE proposed work nent to this work Propose t productio	-, .o set 6286	feet 4½", K	pertinent details, and face locations and mean	give pertinen sured and tru	Recompletions dates, ince vertical d	en Report and Lo	eg form.) I date of starkers and so	
7. DESCRIBE PROPOSE proposed work nent to this work Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean	give pertinen sured and tru	Recompletions dates, ince vertical d	en Report and Lo	eg form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean	give pertinen sured and tru	Recompletions dates, ince vertical d	en Report and Lo	eg form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean	give pertinen sured and tru	Recompletions dates, ince vertical d	en Report and Lo	eg form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean	give pertinen sured and tru	Recompletions dates, ince vertical d	en Report and Lo	eg form.) I date of starkers and so	
DESCRIBE PROPOSE proposed work nent to this work Propose to productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean	give pertinen sured and tru	Recompletions dates, ince vertical d	en Report and Lo	eg form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean	give pertinen sured and tru	Recompletions dates, ince vertical d	en Report and Lo	eg form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and means (-55 casing, all casing.	2ROVE	new, e to c	n Report and Lo cluding estimated epths for all ma 8 round ement by	g form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and means (-55 casing, all casing.	2ROVE	new, e to c	en Report and Lo	g form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean face locations and mean face locations.	PROVECT	new, e to c	n Report and Lo cluding estimated epths for all ma 8 round ement by	g form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and means (-55 casing, all casing.	PROVED	new, e to c	n Report and Lo luding estimated epths for all ma 8 round ement by HE STAT	g form.) I date of starkers and so	
Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean (2-55 casing, 2" casing. APF O O DAT	PROVED F UTALL, GAS	new, e to c	n Report and Lo luding estimated epths for all ma 8 round ement by HE STAT	g form.) I date of starkers and so	
7. DESCRIBE PROPOSE proposed work nent to this work Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and means (-55 casing, all casing.	PROVED F UTALL, GAS	new, e to c	n Report and Lo luding estimated epths for all ma 8 round ement by HE STAT	g form.) I date of starkers and so	
7. DESCRIBE PROPOSE proposed work nent to this work Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean (2-55 casing, 2" casing. APF O O DAT	PROVED F UTALL, GAS	new, e to c	n Report and Lo luding estimated epths for all ma 8 round ement by HE STAT	g form.) I date of starkers and so	
7. DESCRIBE PROPOSE proposed work nent to this work Propose t productio	o set 6286 n casing i	feet 4½", K	pertinent details, and face locations and mean (2-55 casing, 2" casing. APF O O DAT	PROVED F UTALL, GAS	new, e to c	n Report and Lo luding estimated epths for all ma 8 round ement by HE STAT	g form.) I date of starkers and so	
7. DESCRIBE PROPOSE proposed work nent to this work propose to production circulati	o set 6286 n casing i	feet 4½", K nstead of 5½ ace.	pertinent details, and face locations and mean (2-55 casing, 2" casing. APF O O DAT	PROVED F UTALL, GAS	new, e to c	n Report and Lo luding estimated epths for all ma 8 round ement by HE STAT	g form.) I date of starkers and so	
7. DESCRIBE PROPOSE proposed work nent to this work propose t productio circulati	o set 6286 in casing i ng to surf	feet 4½", Knstead of 5½ ace.	pertinent details, and mean face locations are supplied by the face locations and mean face locations are supplied by the face location face locations are supplied by the face location face location face locations are supplied by the face location	PROVED FUTAL IL, GAS	D BY THOUSE, AND	HE STAT SION OF MINING	g form.) I date of starkers and so	rrting anyones perti-
7. DESCRIBE PROPOSE proposed work nent to this work productio circulati	at the foregoing is the foregoing of Socran	rue and correct	pertinent details, and mean face locations are supplied by the face locations and mean face locations are supplied by the face location face locations are supplied by the face location face location face locations are supplied by the face location	PROVED FUTAL IL, GAS	D BY THOUSE, AND	HE STAT SION OF MINING	g form.) I date of starkers and so	rrting anyones perti-
7. DESCRIBE PROPOSE proposed work nent to this work productio circulati	o set 6286 in casing i ng to surf	rue and correct	pertinent details, and mean face locations are supplied by the face locations and mean face locations are supplied by the face location face locations are supplied by the face location face location face locations are supplied by the face location	PROVED FUTAL IL, GAS	D BY THOUSE, AND	HE STAT SION OF MINING	g form.) I date of starkers and so	rrting anyones perti-

2

	UN DEPARTMEI	ITED ST		TERINE		Lease No	<u>U-16539</u>		2
		DGICAL				Communitizati	on Agreement I	No	
			_			Field Name			
For	m 8-32			v.Feb 76		Unit Name	Eight Mile	Flat Unit	
	OMB	42.	- ROS	256	,	Participating /	Vintah	C.	teUtah
	MON	THLY R	PORT			9001111	Hiko Bell Mi		10
		OF				Operator	, t		
	Ol	PERATIC	NS			□ Amended R	eport		
The following Dece	owing is a co	orrect re _ , 19 <u>8</u>	port of			tion (including sta orm for Instruction		ged wells) for t	he month of
				(30 U.S.C	. 189, 30 U	.S.C. 359, 25 U.S.C. result in the assess on to cancel the las	396 d), regulation	BERRESS LOUIS	B 221.34 (1)).
Wes in	Sec &	TWP	RNG	Well _Status	Days Prod.	*Barrels of Oil	·MCF of Gas	Teands of Valer	Remarks
-1		95	18E	Vaiting on Completio Tools	n		1 1032 ION OF & MINING		Drilled 2403-6398 Ran Schlumberger logs, ran 4½", K-55, 10.5# casin Set at 6286' KB. Waiting on completion rig. Prepairing to run cement bond log & perforate.
								·	-
21				on Cleas	. Part	If none, so leipsting Arc	state.	initized Ai	rea basis)
DIBNO	EILION D	<u> </u>				ondensate	Gas (MCF)		Water (BBLS)
©On h	and, Star uced	rt of	Kontl	h .			3000000000	OOOOOOOX	NOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOC
*Sold	•			·•					XXXXXXXXXXXXXXXXXXX
-LTGIEG OF ADULAG				XXXXXXXX	KXXXXXXX	XXXXXXXXXXXXXXXXXX			
			XXXXXXXXXXX	F		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			
	on Leas	•		•			9.5		
*Inje	ace Pits	1		•	XXXXXX	XXXXXXXXXXX	xxxxxxxxx	XXXXXXXXX	
	r (Ident			•					
	end, End		nth	•			XXXXXXXX	XXXXXXXX	XXXXXXXXXXXXXXX
*API	Gravity/	BTU C	onten	٤ :					******
			_		5/		111	P.O. Draw	
Autho	rized Si	gnatu	re: _	100cm	-COO	mg/h	Address:		Itah 84078

Robert E. Covington Title: Secretary-Treasurer

3-1

Page 1 of 1

OGCC-1b.	STATE OF UTAH S CONSERVATION COMMISSION	SUBMIT IN TRIPLICATE® (Other instructions on re- verse side)	5. LEASE DESIGNATION AND SERIAL NO. U-16539
	Y NOTICES AND REPORTS ON for proposals to drill or to deepen or plug back "APPLICATION FOR PERMIT—" for such proposes		6. IF INDIAN, ALLOTTER OR TRIBE NAME
ī			7. UNIT AGREEMENT NAME
WHIL XX WHIL	OTHER		EIGHT MILE FLAT UNIT
2. NAME OF OPERATOR	V. A. A.T. GOVERNO		8. FARM OR LEASE NAME
HIKO BELL MINIS	NG & OIL COMPANY		9. WELL NO.
••	V1 Ut-h 97079		3-1
P.U. Drawer Ab	, Vernal, Utah 87078	ite requirements.	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface	t location clearly and in accordance with any Sta	sec requirements.	Wildcat
			11. SEC., T., B., M., OR BLE, AND
660 FEL & 1980	FNL Section 3		SUBVEY OR AREA
			Sec.3-T9S-R18E, SLM
14. PERMIT NO.	15. BLEVATIONS (Show whether DF, RT	, GR, etc.)	12. COUNTY OR PARISH 18. STATE
	4900 KB		Uintah Utah
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COM proposed work. If well nent to this work.)* Tank grade wil	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* CHANGE PLANS PLETED OPERATIONS (Clearly state all pertinent d is directionally drilled, give subsurface location 1 be 30' x 60' x 14" Finish and pit walls to contruct tarint plan.	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) Change of ta (Note: Report results ('ompletion or Recompletion, and give pertinent dates, and measured and true vertice) top. We will use	of multiple completion on Well letton Report and Log form.) including estimated date of starting an all depths for all markers and zones perting the starting and depths for all markers and zones perting the starting and depths for all markers and zones perting the starting and depths for all markers and zones perting the starting that
			INTERIOR OF THE PARTY OF THE PA

18. I hereby certify that the foregoing is true and corre	et	
SIGNED Costanton Robert E. Covington	TITLE Sec. Tres.	DATE Jan. 15, 1982
(This space for Federal or State office use)		
APPROVED BY	TITLE	DATE

	TATE OF UTAH NSERVATION COMM	SUBMIT IN TRIPLICAT (Other instructions on verse side)	8. LEASE SCOIGHATION AND SUBJIAL IN U-16539
	OTICES AND REPORT OF THE PROPERTY OF THE PROPE	RTS ON WELLS plug back to a different recervoir. such proposals.)	6. IP INDIAN, ALLOTTES OR TRIBS NA
	•		7. UNIT AGREEMENT NAME
AMER NATE OTHER	1		Eight Mile Flat Unit
PARE OF OPERATOR			8. FARM OR LEASE NAME
Hiko Bell Mining	& Oil Company		
ADDRESS OF OPERATOR			9. WELL NO.
P.O. Drawer AB,	Vernal, Utah 84078		3-1 10. FIELD AND POOL, OR WILDCAT
Bee also space 17 below.) At surface	on creatry and in accordance wi	ta any neare requirements.	10. FIELD END FOOL, OR WILDCE!
	NL Sec.3, T9S, R181	E. SIM	Wildcat 11. SEC., T., R., M., OR BLE. AND
000 1 <u>111</u> q 1100 1	, 100, 140.		SURVET OR AREA
			Sec.3,T9S,R18E
PBRM12 NO.	15. BLEVATIONS (Show who	ther DF, RT, GR, etc.)	12. COUNTY OR PARISH 18. STATE
	4890 gr.	•	Uintah Utah
ClI.	A	A N. A A A A A A A A A A A A A A A A A A	Other Dete
	•	ate Nature of Notice, Report, or	
NOTICE OF IN	TENTION TO:	SUBS	DQUENT REPORT OF:
TRET WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
PRACTURE TREAT	MULTIPLE COMPLETE	PRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIES	ABANDON®	SHOOTING OF ACIDISING	ABANDON MENTO
REPAIR WELL	CHANGE PLANS	(Other)	Its of multiple completion on Well
(Other) Change of ope		Completion or Recor	npletion Report and Log form.)
proposed work. If well is dire	OPERATIONS (Clearly state all pectionally drilled, give subsurfac	e locations and measured and true ver	es, including estimated date of starting tical depths for all markers and sones po
neat to this work.) *		6 : 1 14 : 5	·
			• • •
This is to notif	y you that there is	a change of operator of	of this well
mis is to notif	y you that there is	a charge of operator of	a cits well.
New Operator:		(1) + 4 (2)	
one of contract		in the second se	
Jacobs Oil & Gas	Company	* *** ***	
2467 Commerce Bl	vd.	r i	
Grand Junction,	Colorado 81501	4	
	•		
	1.	•	
·			
			•
, ·			
	1	•	
•	•	r^{2}	•
I hereby certify that the foregoin	R IN FLAG WING COLLECE		
BIGHED R. E. COVIA	GION TITLE	Sec. Treas	DATE 1-28-82
(This space for Federal or State	office use)		
APPROVED BY	TITLE		DATE

14. PERMIT NO.

5 .	LEASE DESIGNATION	AKD	-	L PO.
	U-16540			
€.	IF INDIAN, ALLOTTES	CR	TRIBE	MAM

12. COUPTY OR PARISH 18. STATE

	STATE OF UTAH STATE OF UTAH (Other Instructions on re- verse side) OIL & GAS CONSERVATION COMMISSION	5. LEASE DESIGNATION AND SERIAL NO. U-16540
	SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IP INDIAN, ALLOTTES OR TRIBE NAME
<u>ı. </u>		7. UNIT AGREEMENT NAME
,	DIL GAS OTHER	Eight Mile Flat Unit
3. 1	MAKE OF OPERATOR	8. PARS OR LEASE NAME
	Hiko Bell Mining & Oil Company	
1.	ADDRESS OF OFFERTOR	9. WELL NO.
	P.O. Drawer AB, Vernal, Utah 84078	Belco 7-1
- 1	LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	10. FIELD AND POOL, OR WILDCAT Wildcat
	1980 FNL & 1980 FWL Sec. 7, T9S-R18E, SLM	11. SEC. T., E., M., OR BLK. AND SURVEY OR AREA Sec. 7, T9S, P18F.

		5060 gr.	•	Uintah	Utah
16.	Check A	Other Data	منيو.		
	NOTICE OF INTER	. cor worra	80989	QUENT REPORT OF:	4
	ATER SHOT-OFF	FULL OR ALTER CASING	WATER SHUT-OFF	BEPAIR	O WELL

15. BLEVATIONS (Show whether DF, RT, OR, etc.)

(Other)				('outpletion or Recompletion Report and Log form.) nent details, and give pertinent dates, including estimated date of starti
	٠		. [(Nors: Report results of multiple completion on Well
REPAIR WELL	1 1	CHANGE PLANS	1 1	(Other) Change of Operator y
SHOOT OR ACIDISE		ABANDON®		SHOUTING OR ACIDISING ABANDONMENTO
	\vdash			
PRACTURE TREAT	- 1	MULTIPLE COMPLETE		PRACTURE TREATMENT ALTERING CASING
Att Mains prof-one	-		' -	

This is to notify you that there is a change of operator on this well.

New Operator Jacobs Oil & Gas Company 2467 Commerce Blvd. Grand Junction, Colorado 81501 FOR # 7-1 FOR# 11-1 FOR# 31

8. I hereby certify that the foregoing is true and correct SIGNED R.	TITLE Sec. Treas.	DATE 1-28-82
(This space for Federal or State office use)		
APPROVED BY	TITLE	DATE

	UNITE	STAT	ES		·	.ease No,	<u>U-16</u>	<u> 5.5 y </u>	
	RTMENT (of THI	E INTE	RIC		Communitizati	on Agreem	No	
* (GEOLOGIC				F	ield Name		<u></u>	
•		A 9·329) 2/76)		<i>ξ</i> .	ι	Jnit Name	EIGHT .	Mile FL	AT UNIT
	ОМВ	42-RO	356			Participating A			·
	MONTHL	V REP	ORT		. (County J. 4 2	JTAH	St	ate UTAH
		OF	····		,	Operator <u>R</u> .		5 016 4	GAS COMPANY
		ATION	S	. `	· · C	Amended R	eport		
The f	ollowing is	a corre	et repo	rt of oper	ations and	production (in	cluding status	of all unplugged	wells) for the mont
of	FEB.			<u> </u>					
	14.					rse of Form for			
result is	ort is required the assessm bond (30 CF)	ent of liq	uidated d	189, 30 U.S. amages (30	C. 359, 25 U. CFR 221.54	S C. 396 d), regulat (j)), shutting down	ion (30 CFR 221 6 operations, or bas	O), and the terms of the for recommendation	he lease. Failure to report ca: n to cancel the lease and for
Well No.	Sec. &	TWP	RNG	Wei: Status	Days Prod.	*Barrets of Oil	*MCF 64 Gas	*Batters of Water	fremarks
3-1	SE NE	95	18€	OSI	NONE	NONE	NONE	NONE	INSTALLING
•									SURFACE Equip
									PREPARING 7
•] ,							Put on Pui
			į						
								•	
							5605	PARRO	36
**						1	לע	第12日11	(15)1)
			1				MS		45 111
					İ .		1 44	MAD 1 0 100	עשי
								MAR 1 0 198	2
			1			. 7		011/10/01/01	
				·				DIVISION OF	-
							l oi	L. GAS & MIN	ling
: .	,								
	<u> </u>	<u></u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>		
DISPO	SITION O	F PRO	DUCT		none, so e, Partici		r Communiti:	ed Area basis)	
				. Militariani, alta ile 1 en en e lecan	, to 188 (1.00) provide and 5.4	Oil & Condan	sate	Gas	: Water
					•	(BBLS)		(MCF)	(BBLS)
	and, Start	of Mo	nth			NONE		(XXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX
*Prod	uced	•			•	NONE			NONE
*Sold						NONE			XXXXXXXXXXXXXXXX
* .	ed or Lost				•	NONE		XXXXXXXXXXX	XXXXXXXXXXXXXXXXX
*Flared or Vented *Used on Lease *Injected				•	XXXXXXXXXXXXX			XXXXXXXXXXXXXXXX	
				•	NONE		ONE	XXXXXXXXXXXXXXX	
-		;		•	•			XXXXXXXXXXX	NONE
*Surface Pits *Other (Identify) *On hand, End of Month								NONE	
				•	NONE XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			××××××××××××××××××××××××××××××××××××××	
	Gravity/87				Nn -	NONE	No		XXXXXXXXXXXXXXXX
	rized Sign			n Co	,,,,	•		OMMERCE BLU.	
	CONTRO	_						of	
					_				

UN ED STATES SUBMIT IN DUPL E

9 9	DEPAR		VI OI OGICA			ERIO	₹		ions or se side)	D. LEA	16539		ON AND SERIAL NO.
			_ · · · · · · · · · · · · · · · · ·	 		EDORT	ANI	D I O	<u> </u>				TEE OR TRIBE NAME
WELL CON				APLETT	ON K	EPORI	AN	D LOC		_			
1a. TYPE OF WELL	WEL	LX	WELL	DR	▼ □ (Other					T AGREE		
b. TYPE OF COMP	WORK DEE	P- 🗀	PLUG	DIFF.							BUT M		Flat Unit
NEW WELL X	OVER LEN		PLUG BACK	LESV	R	Other				-			· ·
	1 & Gas Co	mnan	v							9. WE	LL NO.		
3. ADDRESS OF OPER		mpui,	,					-		- Hi	ko Be	11	#3-1
2467 Comm	erce Blvd.	, Gr	and Ju	nction	, Col	orado 8	315 0	1	·	ı			, OR WILDCAT
4. LOCATION OF WEL								ta) *			1dcat		
At surface	•		FML, S	ec.3,	T9S-R	18E, SL	4			11. 8	EC., T., R., R AREA	, м., о	OR BLOCK AND SURVEY
At top prod. inte	rval reported be	low								Se	c. 3.	T9S	,R18E, SIM
At total depth			1										
67001			\$ \$	14. PER	MIT NO.	t	DATE	ISSUED			OUNTY OR ARISH	į.	13. STATE
6398'				43-09	17-3//	47	<u>]</u> i	2-9-81		<u>Ui</u>	<u>ntah</u>	10 -	<u>Utah</u>
15. DATE SPUDDED	16. DATE T.D. R		17. DATE	COMPL. (Ready to	1					:TC.)*		CLEV. CASINGHEAD
Nov. 21, 1981		981	P.D. WD A	rvn 1 22	IF MUL	1 4)		gr. 4			RY TOOLS	48	CABLE TOOLS
6398	639		,	-	HOW M.	4 Y Y 4	•		LED BY			ļ	
24. PRODUCING INTER	VAL(S), OF THIS	COMPLE	TION-TOP	, BOTTOM,	NAME (M	ID AND TVD)	•	1 -	7	11.17.	0330	25	. WAS DIRECTIONAL SURVEY MADE
Zone I: 59								!					No
Zone II: 5	590-5608	§ 551	8-5528	Во	th in	Green 1	Rive	r Form	atio	on			
26. TYPE ELECTRIC A	ND OTHER LOGS	RUN					-	-				;7. ₩.	AS WELL CORED
Dual Induction	n, Comput	er Pr	ocesse	d Log	Comp	. Neutro	n, N	licro S	eisr	nogran	<u> </u>		<u>No</u>
28.	WEIGHT, LB.	/er	CASI DEPTH SE			ort all string	s set i		ENTIN	G RECORD		<u>_</u>	AMOUNT PULLED
	24# ne	 	300'			21411	175	sx. c	·irc	to su	rface		none
8 5/8'' 4½''	10.5#		6286			7/8"	-	3 sx.					none
<u> </u>	1 20.0		1.			·/		, '					
29.			RECORD			· .		30.			RECOR		
BIZE	TOP (MD)	BOTTO	M (MD)	SACKS CE	MENT*	SCREEN ()	ID)	2 3/	7011	5500	SET (MD)		5490'
									-	3300	,		3430
31. PERFORATION REC	OBD (Interval, s	ze and	number)	<u>!</u>		82.	A	CID, SHOT	, FRAC	CTURE, C	EMENT	SQU	EEZE, ETC.
5976,5978,59	980, 5982-	2 sho	ts per	foot		DEPTH IN							AATERIAL USED
5590,5592,55						5976-	5582	2	100	0 gal.	. 15%	HC1	
5604,5608,55					28-						on b		
1 shot per i	oot		\$ 5.			5518-	5608	8	100	0 gal.	15%	HC1	
00.0			<u></u>		PRO	DUCTION	 .		<u> </u>				
33.* DATE FIRST PRODUCT	ON PROD	UCTION	METHOD (Flowing, g		umping—size	and	type of pur	np)				8 (Producing or
March 22, 19	982 pm	ning.	Herci	iles 16	60 mun	mping un	it				Prod		ng
DATE OF TEST	HOURS TESTED		OKE SIZE	PROD'I	N. FOR PERIOD	OIL—BBL.		GASM	CF.	WAT	ER—BBL.	T	GAS-OIL RATIO
Mar.18,82	24 hrs		pen		→	40.03	<u> </u>	10 !	1CF	no	one	3	.004 to 1
FLOW, TURNS PRESS.	CASING PRESSU		LCULATED -HOUR RAT			1 .	-MCF.			R-BBL.			RAVITY-API (CORR.)
450 1bs	AR (Rold weed to	r tuel m	nted etc		0.03		.OM.C	<u> </u>	n	one	WITNESS		API
_	an (NUIU, WEEU JU	. , 40, 70	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,				1			don Le		
Vented 35. LIST OF ATTACH	MENTS		<u> </u>					-		1001		41	
Treater Sei	narator. P	ump	Jack. 2	2-300 l	oarre.	l tanks						,	
36. I hereby certify	that the foregoi	ng and	attached i	nformation	a is comp	piete and cor	rect a	s determin	ed fro	m all ava	ilable rec	cords	
SIGNED-SEL	Best Elle	KIT 1-	if.	T) T	! א יבד.דיתי	Hiko Bel Manager	of .	Explor:	atio	u .	DATE	Ar	oril 1, 1982
SIGNED		7		11	كس تفسد						PAID		

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be not pursuant to applicable Federal and/or State laws and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State particularly with regard or regional practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State instructions on from 22 and 24 and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record a submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached bereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, or Pederal office for specific instructions.

for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Nack's Coment": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

Frac Data

5518-5608- 31,000 gallons wf40/ 16,250 lbs. 100 mesh sand/ 87,600 lbs. 20-40 sand/ 7,200 gal. HCl/ 7,000 lbs. KCl/ 1,550 lbs. Gel. Frac screened out and only 75% of above was pumped down the hole.

		TRUB VERT. DEPTH	7	1/40	540	1750	1340	565	5/5				-						1		4	SNI	
Geologic Markers	401	MEAS. DEPTH	0 7 1 1	Surr-1/40	1740-2280	2280-4010	4010-5350	5350-5915	2915-6290	6290-T.D.								APP 0.9 1980			DIVISION OF	OIL, GAS & MINING	
38. GEOLOG	11242		f	Uinta Fm.	Evac, Ck. Tgr	Parac.Ck. Tgr	Doug, Ck. Tgr	a)	Tgr Tongue	Wasatch Fm.			7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	0				T					
S THEREOF; CORED INTERVALS; AND ALL DAILL-STRM TESTS, INCLUDING EN, PLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	DESCRIPTION, CONTENTS, STC.	1	SS, oil stained, oil on shaker.	Oil Stained, incr of 100 units of gas	ss, heavy oil on shaker, 10 units gas	ss, heavy oil on shaker	, SS,	ss, blk oil on shaker, 40 unit gas incr.	Ost. LS, oil on shaker	ss, 20 unit gas incr.	ss, oil stain and gas incr.	ss, as above	ss, good incr. in background gas	ss, sh, oil stain, gas show	sh, ss, incr. in gas	incr. of 30 units gas	incr. of gas, some oil staining	ss, gas incr. 120 units, soft oil on shake	oil stain, gas increase	,88,		ss, oil stained, gas from 55 to 600 units	
SSITY AND CONTEN'	BOTTOM		3260	3600	3706	3940	4040	4130	4200	4476	4530	4570	4880	4980	5020	5390	5522	5610	5680	2860	2900	6020	
US ZONES!	TOP		3076	3512	3686	3918	3980	4060	4186	4442	4510	4556	4820	4923	2000	5362	5482	5584	2660	2800	5880	2976	
37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; DEPTH INTERNAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING	FORMATION		Green River Fm.			-										,							



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

May 11, 1982

P

Jacobs Oil & Gas Company 2467 Commerce Blvd. Grand Junction, Colorado 81501

> Re: Well No. Eight Mile Flat Unit #3-1 Sec. 3, T. 9S, R. 18E Uintah County, Utah

Gentlemen:

According to our records, a "Well Completion Report" filed with this office April 1, 1982, from above referred to well, indicates the following electric logs were run: Dual Induction, Computer Processed Log, Comp. Neutron, Micro Seismogram. As of todays date, this office has not received these logs: Dual Induction, Computer Processed log, Comp. Neutron.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Turse

Cari Furse Clerk Typist

June 25, 1982

Dear Sirs:

We are sorry you did not receive the above well logs. We assumed that Hiko Bell Mining and Oil Company had sent these logs to you. Please accept our apologies.

The "missing logs" are enclosed.

Respectfully yours

R. Gordon Le Baron

9241 State Office Building. Salt Lake City, UT 84114.801-533-5771

Weed Sundinis Operator Change RECEIVED

DOCM 36-64 . ? an equal opportunity cincimir

Page 1 of /

PRODUCING	ENTITY	ACTION	FORM
-----------	--------	--------	------

Oil & GAS JACOBS Operator Name. BLUD. Address 2467 COMMERCE Zip 81505 City GRAND JUNCTION State -Ulah Account No. -

Authorized Signature

Telephone (303)243-7814 Elfective Date

DIVISION OF OIL GAS & MINHON CODE

A Establish new entity for new well(s).

JUL 2 1984

- B Add new well(4) to existing entity. Delete well(s) from existing contily.
- D Establish new entity for well(+) being deleted from
- Cxisting entity. E Change well(4) from one entity to another existing entry.
- F Other. (Specify using attachments if necessary

JUL---2.1984 Action Current New Well Location S 41 4 10 Entity No. Entity No. API No. Code Well Name Sec. R County Forma's 95 18E GRRV 43 047 31274 JALOBS - BELCO 32-8 00554 UINATH BELLO 95 18E 43047 31126 00564 Claudia BELCO 9518E 00564 34-7 4304731202 Kese well. 95 18E 43:047.31029 00570 95 18E 43 047 3 1127 3-1 00570 9518E 18-1 18 00570 43 047 31142 HIKO-BELL 4 95 188 04731181 00570 #22-10 95/8E 00570 LHIKO BELL 43 04731214 OVERTHRUST ROYALTY NEW ENTITY IS' DR. EAST Suite 112

(B 0 3) PHONE

DEPARTMENT VATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	
SUNDRY NOTICES AND REPORTS ON OTHER DATE OF PROPERTY OF THE PROPERTY OF SUCH PROPERTY OF SUCH PROPERTY OF SUCH PROPERTY.	als:
Type of Well Oil Gas Other (specify) Well	9. Well Name and Number 3-1 (Hiko-Bell) 10. API Well Number
Name of Operator Cline Oil and Gas Company Address of Operator P. O. Box 700810, Tulsa OK 74170-0810	43-047-31127 4. Telephone Number
Footage: 1980 FNL, 659 FEL	County: Uintah State: UTAH
CHECK APPROPRIATE BOXES TO INDICATE NA NOTICE OF INTENT (Submit in Duplicate) Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other	SUBSEQUENT REPORT (Submit Original Form Only) Abandonment * New Construction Casing Repair Pull or Alter Casing Change of Plans Shoot or Acidize Conversion to Injection Vent or Flare Fracture Treat Water Shut-Off Other Change of Operator Effective Date: 10/14/4/ Date of Work Completion
Approximate Date Work Will Start	Depart require of Multiple Completions and Recompletions to different reservoirs

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

Must be accompanied by a cement verification report.

OCT 2 4 1991

DIVISION OF OIL GAS & MINING

			۸	۸			
14. I hereby certify that	t the foregoing is true and correct	\prod	1.00	110			[6][4]
Name & Signature	W. Geoffrey Cline	\mathcal{M}	Markey	Mhe	Title	President	Date 07719791
(State Use Only)			11	1			

DESIGNATION OF AGENT OR OPERATOR - FORM 5



		DRUGGGG
	cord, the holder of oil and gas lease	OIL GAS & MINING
LEASE NAME:Eigh	nt Mile Flat Field	·
LEASE NUMBER:(I.i.	sted below)	
and hereby designates		•
NAME: Cli	ne Oil and Gas Company	
	D. Box 700810, Tulsa OK 74170-0810	
the terms of the lease as Director or Authorized As compliance with the Oil a the Board of Oil. Gas and	ith full authority to act in his behaled regulations applicable thereto and spent may serve written or oral instruction Gas Conservation General Rules and Mining of the State of Utah with restignation is applicable):	tions in securing Procedural Rules of
Lease No.	Location	
U-15392 U-16539 U-16540 and U-17424 U-17036 U-39714	Sec. 11, T 9 S, R 18 E Sec. 3, T 9 S, R 18 E Sec. 7, T 9 S, R 18 E Sec. 8, T 9 S, R 18 E Sec. 4, T 9 S, R 18 E Sec. 10, T 9 S, R 18 E Sec. 18, T 9 S, R 18 E	County, Utah
		Ç
lessee of responsibility and Gas Conservation Gen and Mining of the State agent or operator does n	is designation of agent/operator does for compliance with the terms of the eral Rules and Procedural Rules of the of Utah. It is also understood that ot constitute an assignment of any interest.	Board of Oil, Gas this designation of terest in the lease.
make full and prompt com of Oil, Gas and Mining o	ne part of the designated agent/operato opliance with all rules, lease terms of of the State of Utah or its authorized	representative.
The lessee agrees prompt any change in this desig	ly to notify the Division Director or gnation.	
Effective Date of Design Company GHP 5H Address Sub 1250 5	united Partnershiftle: President 25/ DTC Parking) Phone: 303-7	H. Plann gnature) 76-2600

MELVIN E. LESLIE

ATTORNEY AT LAW
10 WEST 300 SOUTH STREET, SUITE 703
SALT LAKE CITY, UTAH 84101

November 29, 1991

Ms. Lisha Romero
Utah Division of Oil, Gas and Mining

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah

Re: Overthrust Oil Royalty Corp.

Dear Ms. Romero:

In accordance with our recent telephone conversations regarding the change of operatorship from the above-named Corporation to Cline Oil and Gas Company as regards wells in the Eight Mile Flat Area, I am enclosing the original copy of seven different Sundry Notices (Form 9) for filing with your Division. It is my understanding that Cline Oil and Gas Company has previously filed similar Sundry Notices, so the present filing should complete the documentation as to change of operatorship. If not, kindly advise me.

Very truly yours,

Milvin & Zesle

Melvin E. Leslie

MEL/bjw Enclosures

DEC 0 2 1991

TELEPHONE: (801) 364-4442

DIVISION OF OIL GAS & MINING Form 9

STATE OF UTAH DEPARTMENT OF UTAL RESOURCES DIVISION OF OIL-GAS AND MINING

í	Lease Designation	and	Serial	Number
1	U-16539			

	7. Indian Allottee or Tribe Name
SUNDRY NOTICES AND REPORTS O	
Do not use this form for proposals to drift new wells, deepen existing wells, or to residue to the APPLICATION FOR PERMIT— for such propose	
	(Entity 00570)
1. Type of Well Cas Other (specify) Well Well	9. Well Name and Number
Oil Gas Other (specify) 2. Name of Operator	#3−1 10. API Well Number
OVERTHRUST OIL ROYALTY CORP.	4304731127
3. Address of Operator 2046 East 4800 South, Suite IIO	4. Telephone Number 11. Field and Pool, or Wildcat
Salt Lake City, Utah 84117	(801) 277-5360 Eight Mile Flat
5. Location of Well	county : Uintah
Footage : $QQ, Sec, T., R., M. : SELNEL of Section 3, T. 9 S., R.$	18 E., S.L.M. State : UTAH
12. CHECK APPROPRIATE BOXES TO INDICATE NA	
NOTICE OF INTENT	SUBSEQUENT REPORT
(Submit in Duplicate) Abandonment	(Submit Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing	Abandonment * New Construction Casing Repair Pull or Alter Casing
Change of Plans . Recompletion	Change of Plans Shoot or Acidize
Conversion to Injection Shoot or Acidize	Conversion to Injection Vent or Flare
Fracture Treat Vent or Flare	Fracture Treat Water Shut-Off
Multiple Completion Water Shut-Off	Other <u>Change of Operator</u>
Other	Data of Warls Completion
Approximate Date Work Will Start	Date of Work Completion
Tippi dalindid dalio tront trin dalit	Report results of Multiple Completions and Recompletions to different reservoirs
·	on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertin	
locations and measured and true vertical depths for all markers and zones pertir	nent to this work.)
755 · · · · · · · · · · · · · · · · · ·	a of this 17-11 are showed from that
Effective as of October 1, 1991, the Operator specified in Paragraphs 2 and 3 above to the	following: Cline Oil and Gas Company.
P.O. Box 700810, Tulsa, Oklahoma 74170.	Torrowally,
7,0, 2017,00020, 122204, 0122202	
	s € o substitution of the
	[BEE G 14/1/5/5/17]
	A Lawrence Control of the Control of
	DEG 6 2 1391
	DIVISION OF
	OIL GAS & MINING
14. I hereby certify that the foregoing is true and correct	
Name & Signature Too Melson	Title Trustee in Bankruptcyate November 29
(Stare Use Only)	199

	of Oil, Gas and Mining R. CHANGE HORKSHEET	Routing:
	Il documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	2-DT8275 3-VLC 4-RJF
	ge of Operator (well sold)	5-RWM 1/ 6-ADA
ne ope	erator of the well(s) listed below has changed (EFFECTIVE DATE: $10-14$	i-91)
) (new	W. GEOFFREY CLINE, PRES. phone (918) 481-5837 phone	
2]](s)	*EIGHT MILE FLAT UNIT/ALL WELLS (attach additional page if needed):	
Vame:B Vame:B Vame:B Vame:I Vame:I	IKO BELL U 4-1/GRRV API: 43-047-31181 Entity: 10971 Sec 4 Twp 9S Rng ELCO #34-7/GRRV API: 43-047-31202 Entity: 564 Sec 7 Twp 9S Rng ELCO #7-1/GRRV API: 43-047-31126 Entity: 10969 Sec 7 Twp 9S Rng ACOBS-BELCO 32-8/GRRV API: 43-047-31274 Entity: 554 Sec 8 Twp 9S Rng IKO BELL #22-10/GRRV API: 43-047-31214 Entity: 10973 Sec10 Twp 9S Rng	18E Lease Type: U-16539 18E Lease Type: U-17424 18E Lease Type: U-16540 18E Lease Type: U-16540 18E Lease Type: U-17036 18E Lease Type: U-15392 18E Type: U-39714
)	OR CHANGE DOCUMENTATION	
	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been reoperator (Attach to this form). (Reg. 10-31-91) (Reg. 11-21-91) (Reg. 12-2-91)	
ef 2.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received (Attach to this form). (Rule R615-8-10)	ed from <u>new</u> operator
±2.	operating any wells in Utah. Is company registered with the state yes, show company file number: $\#153590$.	(yes)no) If
	(For Indian and Federal Wells ONLY) The BLM has been contacted re(attach Telephone Documentation Form to this report). Make note comments section of this form. Management review of Federal and I changes should take place prior to completion of steps 5 through 9 be	indian well operator low.
<u>f</u> cf ₅ .	Changes have been entered in the Oil and Gas Information System (Wan listed above. (11-21-91)	g/IBM) for each well
Λ	Cardex file has been updated for each well listed above. (11-21-91)	
<u>fc</u> 7.	Well file labels have been updated for each well listed above. $(11-21-9)$)
_	Changes have been included on the monthly "Operator, Address, and A for distribution to State Lands and the Tax Commission. $(11-21-91)$	
Efg.	A folder has been set up for the Operator Change file, and a copy oplaced there for reference during routing and processing of the original operator.	f this page has been and documents.

*OR CHANGE WORKSHEET (CONTINUED) Initia ch item when completed. Write N/A i em is not applicable.
Y REVIEH
(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form). Wells within specific PA's have been labelled. All other wells within unit bounded but not within a PA, have separate entity assignments. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
VERIFICATION (Fee wells only)
. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
A copy of this form has been placed in the new and former operators' bond files.
The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
SE INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
$\frac{1}{2}$. Copies of documents have been sent to State Lands for changes involving State leases.
ING TWM 1. All attachments to this form have been microfilmed. Date:
ENG
f. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
HENTS
eff. 10-29-91. " All wells are now operated by Cline Oil & Gas Company."

1. Type of Well Ø Well

2. Name of Operator

3. Address of Operator

QQ, Sec, T., R., M. :

Abandonment

Casing Repair

Fracture Treat

Other

Change of Plans

Conversion to Injection

Multiple Completion

5. Location of Well

Footage

E OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

SUNDRYMOTICES AND REPORTS ON WELLS

Other (specify)

74170-0810

Use APPLICATION FOR PERMIT— for such propi

Do not use this form for proposals to drill new wells, deepen existing wells, or to re

Cline Oil and Gas Company

P. O. Box 700810, Tulsa OK

1980 FNL, 659 FEL

NOTICE OF INTENT

SE NW, Sec. 3, T9S, R18E

CHECK APPROPRIATE BOXES TO INDIGATE NATURE OF NOTICE

New Construction

Recompletion

Vent or Flare

Shoot or Acidize

Water Shut-Off

Pull or Alter Casing

<u> </u>	6. Lease Designation and Serial Mimber
	U-16539
,	7. Indian Allottee or Tribe Name
FLS	'15
god and abandoned wells.	8. Unit or Communitization Agreement
A-4-5 No. 2	for each
	9. Well Name and Number
	3-1 (Hiko-Bell)
	10. API Well Number
	43-047-31127
Telephone Number	11. Field and Pool, or Wildcat
918-481-5837	Eight Mile Flat North
County	: Uintah : OTAH
EOR VOTICE REPO	OF 1 (O): (OT HERIDATA
SUBSE (Submit	QUENT REPORT Original Form Only)
Abandonment *	New Construction
Casing Repair	Pull or Alter Casing
Change of Plans	Shoot or Acidize
Conversion to Injection	Vent or Flare
Fracture Treat	☐ Water Shut-Off
Other Change of	f Operator
Effective	e Date: 10/14/9/

Approximate Date Work Will Start Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. Must be accompanied by a cement verification report. 13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) MAR 0 3 1992 DIVISION OF OIL GAS & MINING

4. Telephone Numb

Date of Work Completion

14. I hereby certify that the foregoing is true and correct

Name & Signature

W. Geoffrey Cline

President Title

(State Use Only)

ASSISTANT DISTRICT MADES WINLOWS

FEB 2 8 1997

(8/90)

See Instructions on Reverse Side

	_
-orm	8

E OF UTAH DEPARTMENT OF NATURAL RESOURCES

6. Lease Designation and	Serial Mumber
U-16539	-
7. Indian Allottee or Tribe	Name
	· > F
	1,1

DIVISION OF OIL, GAS AND MINING	U-16539
DIVISION OF OIL, GAS AND MINING	7. Indian Allottee or Tribe Name
SUNDRYMOTICES AND REPORTS OF	WELLS 8, Unit or Communitization Agreement
Do not use this form for proposals to drill new wells, deepen existing wells, or to reen	By bridde are remarked have
Use APPLICATION FOR PERMIT— for each propose	10.00
	9, Well Name and Number
i. Type of Well Gas Other (specify) Well	3-1 (Hiko-Bell)
	10. API Well Number
Cline Oil and Gas Company	43-047-31127
3. Address of Operator	4. Telephone Number 11. Field and Pool, or Wildcat
P. O. Box 700810, Tulsa OK 74170-0810	918-481-5837 Eight Mile Flat North
5. Location of Well	Wanash
Footage : 1980 FNL, 659 FEL	County: Uintah
CD MI Con 2 TOC DISK	State : OTAH
QQ, Sec. T., R., M. : SE NW, SEC. 3, 193, KIDD 12. CHECK APPROPRIATE BOXES TO INDIGATE NA	SUBSEQUENT REPORT
NOTICE OF INTENT (Submit in Duplicate)	(Submit Original Form Only)
- 20	Abandonment • New Construction
Dull or Alter Casing	Casing Repair Pull or Alter Casing
G. Recompletion	Change of Plans Shoot or Acidize
Ohange of the same Addition	Conversion to injection Vent or Flare
Conversion to injection	Fracture Treat Water Shut-Off
The thirty of the control of the con	Other Change of Operator
Multiple Completion Water Stitle-Oil Other	Effective Date: 10/14/9/
	Date of Work Completion
Approximate Date Work Will Start	Report results of Multiple Completions and Recompletions to different reservoirs
,	on WELL COMPLETION ON RECOMPLETION AND LOG ASSIS.
	Must be accompanied by a cement verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all perti	nent details, and give pertinent dates. If well is directionally drilled, give subsurface
13. DESCRIBE PROPOSED OF COMPLETED OF EAST TONG (clearly locations and measured and true vertical depths for all markers and zones perticularly statements and statements and statements are statements.)	nent to this work.)
Please be advised that Cline Oil and Gas C	ompany is considered to be the
Jose Number H-16539; Uintah County, Utan;	and is responsible
and conditions of the lease for the operat	S of 1 shame RIM Bond Number UT0842 DIVISIUN UI
lands. Bond coverage is provided by bank	OIL GAS & MINIT
TENAL DIST. 2-24-67	1 / 11 44 (34 (1)
ļ	11 VIAIN) 100 1/10100
230L	// MAKNO XXX 111/11
2.3.	10 1/ 12/ /m/
PRT	\\ \
y h ATA t water a marine a marine a	\ \

14. I hereby certify that the foregoing is true and correct

Name & Signature

W. Geoffrey Cline

A.M.

Title

President

(State Use Only)

ASSISTANT DISTRICT

FEB 2 8 1992

Thundel Cleaning &

See Instructions on Reverse Side

ATTACHMENT 1.

EIGHT MILE FLAT UNIT WELLS

GREEN RIVER A PARTICIPATING AREA

O						
	11-1	NWSW	11 9S	18E	OSI	UTU15392
GREEN	RIVER B PAR	TICIPATII	NG AREA			
	18-1 7-1	NWNW SENW	18 9S 7 9S	18E 18E	POW POW	UTU39714 UTU16540
GREEN	RIVER C PAR	TICIPATI	NG AREA			
	4-1	SESW	4 95	18E	POW	UTU17424
GREEN RIVER D PARTICIPATING AREA						
	32-13	SWNE	13 9S	18E	OSI	UTU18048
GREEN RIVER E PARTICIPATING AREA						
	34-8	SWSE	8 9S	18E	OSI	UTU16540

THE FOLLOWING WELLS WERE DETERMINED NON PAYING AND SUBSEQUENTLY CONTRACTED FROM THE EIGHT MILE FLAT UNIT AREA. THEY SHOULD NOT BE REPORTED ON THE PLAN OF DEVELOPMENT IN THE FUTURE.

3-1 32-8 34-7 22-10	SENE SWNE SWSE SENW	3 9S 8 9S 7 9S 10 9S	18E 18E 18E 18E	TA POW POW OSI	UTU16539 UTU16540*CLI UTU16540*CLI UTU17036
11-8	NWNW	8 95	18E	OSI	UTU16540 UTU16540
13-8	NWSW	8 9S	18E	OSI	01010340

APRIL 1 1994

Authorized Officer Bureau of Land Management

Re: Flat Unit Unit Unit Utah

Gentiemen:

Enclosed for your consideration and approval, are four (4) copies of Resignation of Unit Operator and Designation of Successor Operator for the Fight Mile Flat Unit Area. The enclosed instrument has been executed by more than the required percentage of working Eight Mile Unit and Unit Operating Agreements. All Eight Mile Unit Agreement will be covered by bond no. 0842

Sincerely,

Edward Neibauer

Enclosures

RESIGNATION OF UNIT OPERATOR

Eight Mile Flat Unit Area

County of Wintah

State of Utah

Unit Agreement No.14-08-0001-19635

	and ausquaget to the	provisions of Section 5 of the Unit Agreement for the
	Under and pursuant to the	Eight Mile County, Utah
	Development and Operation of th	Eight Mile Flat Unit Area, Wintah County, Wtah Flat Joit Agreement does nerely
Cline Oil and G	Oil and Gas Company the designate	d Unit Operator under said Unit Agreement, does hereby
	resign as Unit Operator, effective	re upon the selection and approval of a successor Unit
	Operator.	atonesaid the 1 day of April, 1994
	EVECUTED with effect as	aforesaio me it hay or interest to be

ATTEST:

DESIGNATION OF SUCCESSOR UNIT OPERATOR

Eight Mile Flat Unit Area

County of Uintah

State of Utah

Unit Agreement No. 14-08-0001-19635

THIS INDENTURE, dated as of the 1 day of April 1994, by and between Cline Oil and Gas Company, hereinafter designated as "First Party," and the owners of unitized working interests, hereinafter designated as "Second Parties,"

WITNESSETH:

WHEREAS, under the provisions of the Act of February 25, 1920, 41 Stat. 437, 30
U.S.C. Secs. 181, et seq., as amended by the Act of August 8, 1946, 60 Stat. 950, the
a convert the Interior on the 29 day of October 1991, approved a Unit Agreement for
Eight Mile is designated as Unit Operator, and
the Flat Cline Oil and Gas WHEREAS said, Company has resigned as such Operator and the designation
of a successor Unit Operator is now required pursuant to the terms thereon; and
of a successor Unit Operator is now require

WHEREAS the First Party has been and hereby is designated by Second Parties as Unit Operator, and said First Party desires to assume all the rights, duties and obligations of Unit Operator under the said Unit Agreement:

NOW, THEREFORE, in consideration of the premises hereinbefore set forth and the promises hereinafter stated, the First party hereby covenants and agrees to fulfill the duties and assume the obligations of Unit Operator under and pursuant to all the terms of the Eight Mile Flat Unit Agreement, and the Second Parties covenant and agree that, effective upon approval of this indenture by the Chief, Branch of Fluid Minerals, Eureau of Land Management, First Party shall be granted the exclusive right and privilege of exercising any and all rights and privileges as Unit Operator, pursuant to the terms and conditions of said Unit Agreement; said Unit Agreement being hereby incorporated herein by reference and made a part hereof as fully and effectively as though said Unit Agreement were expressly set forth in this instrument.

IN WITNESS WHEREOF, the parties hereto have executed this instrument as of the date hereinabove set forth.

SECOND PARTY

Cline Oil and Gas Company

Cline, President

Cline,

FIRST PARTY

ROCKY MOUNTAIN OPERATING COMPANY, INC.
BY Wind A Execution Date: JUNE 15, 1994
BYExecution Date:
BYExecution Date:
BY Execution Date:
BY
Execution Date:

CORPORATE ACKNOWLEDGEMENT

STATE OF Não Mazico) SS.
COUNTY OF SANTA FO!
The foregoing instrument was acknowledged before me this 3rdday of June 1994 by W. Geoffrey ClinePresident, and by Helen M. Cline Secretary of Cline Oil and, a corporation. Gas Company WITNESS my hand and official seal.
My Commission Expires: 1-18-91 Notary Public
Place of Residence:
INDIVIDUAL ACKNOWLEDGEMENT
STATE OF
On theday of 19, personally appeared before me the signer(s) of the above instrument, who cuty acknowledge to me that he (she or they executed the same.
VITNESS my hand and official seal.
My Commission Expires:
Hotary Public
Place of Residence:

April 1 1994

Authorized Officer Bureau of Land Management

Re: Flat Unit
Uintah County, Utah

Gentlemen:

Enclosed for your consideration and approval, are four (4) copies of Resignation of Unit Eight Mile

Operator and Designation of Successor Operator for the Flat Unit Area.

Rocky Mountain Operating Co., as the designated successor operator under the Eight Mile Flat Unit Agreement, hereby certifies that the requisite approvals of the current working interest owners in the agreement have been obtained to satisfy the requirements for selection of a successor operator as set forth under the terms and provisions of the agreement. All operations within Eight Mile Unit Agreement will be covered by bond no. 0842

Sincerely.

Edward Neibauer

Enclosures

EXHIBIT A

3-1	SENE	Sec 3-T9S-R18E	UTU16539
₋	SWNE	Sec 8-T9S-R18E	UTU16540
32-8		Sec 7-T9S-R18E	UTU16540
34-7	SWSE	Sec 10-T9S-R18E	UTU17036
22-10	SENW	Sec 8-T9S-R18E	UTU16540
11-8	NWNW	- ·	UTU16540
12_0	WOWK	Sec 8-T9S-R18E	01010240

Form 3160-5 (June 1990)

Subsequent Report

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED 5. Lease Designation and Serial No.

Budget Bureau No. 1004-0135 Expires: March 31, 1993

New Construction

Water Shut-Off

Non-Routine Fracturing

SUNDRY NOTICES	AND REPORTS ON WELLS

as and use this form for proposals to dr	AND REPORTS ON WELLS ill or to deepen or reentry to a different reservoir. R PERMIT—" for such proposals	6. If Indian, Allottee or Tribe Name
SUBMIT	7. If Unit or CA, Agreement Designation	
Type of Well Oil Gas Other		8. Well Name and No.
Rocky Mountain Operating Compa		9. API Well No. 10. Field and Pool, or Exploratory Area
3281 Cherryridge Road Englew. Location of Well (Footage, Sec., T., R., M., or Survey D.	escription)	Eight Mile Flat Area 11. County or Parish, State Uintah County, Utah
CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans

Conversion to Injection Altering Casing Final Abandonment Notice __ Dispose Water Other Change of Operator (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Recompletion

Plugging Back

Casing Repair

1. Self-certification statement. Under the Federal regulations in effect as of June 15, 1988, designation of operator forms are no longer required when the operator is not the 100% record title holder. An operator is now required to submit a self-certification statement to the appropriate Bureau office stating that said operator has the right to operate upon the leasehold premises. Said notification may be in the following format:

"Please be advised that Rocky Mountain Operating Company is considered to be the operator of the wells as shown on EXHIBIT "A" and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by 0842

_		
14. I hereby certify that the foregoing is true and portect	TitlePRESIDENT	Date JUNE 15, 1994
(This space for Federal or State office use)	Tide	Date
Approved by	Tide	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR AND MANAGEMENT

		~	1007
Al) (·	•	1994
~ 7	9	(C)	() a
- ~ ¥* • • • • • • • • • • • • • • • • • • •	L	6 5	1.01.0

FORM APPROVED

OCT 2 6 1994

Dari	ter non		100	V
E:	kpires:	March	31, 19	93
I D			Carial	No

BUREAU OF	LAND MANAGEMENT	J. 2000 300 000 000 000 000 000 000 000 00
Do not use this form for proposals to dr	AND REPORTS ON WELLS ill or to deepen or reentry to a different reservoir. R PERMIT—" for such proposals	6. If Indian, Allottee or Tribe Name
SUBMIT	7. If Unit or CA, Agreement Designation	
1. Type of Well X Oil Gas Other	<u> </u>	8. Well Name and No.
2. Name of Operator Rocky Mountain Operating Compa	any	9. API Well No.
3. Address and Telephone No. 3281 Cherryridge Road Engleword 4. Location of Well (Footage, Sec., T., R., M., or Survey D	ood, Colorado 80110	10. Field and Pool, or Exploratory Area Eight Mile Flat Area 11. County or Parish, State
		Uintah County, Utah
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent Subsequent Report	Abandonment Recompletion Plugging Back	Change of Plans New Construction Non-Routine Fracturing
Final Abandonment Notice	Casing Repair Altering Casing Other <u>Change of Operator</u>	Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log (orm.)
1. Self-certification statement 1988, designation of operation the 100% record title holds statement to the appropriate operate upon the leasehouse.	Il pertinent details, and give pertinent dates, including estimated date of startical depths for all markers and zones pertinent to this work.)* Int. Under the Federal regulations in the forms are no longer required when the er. An operator is now required to sure Bureau office stating that said operated by the premises. Said notification may be called the premises. Said notification may be called the premises of the said operating Company is consistent to the said operation to	effect as of June 15, the operator is not bmit a self-certification erator has the right e in the following format sidered to be the operator
of the Wells as shown on a of the lease for the operation of the operation of the operation of the operation of the lease for the operation of the wells as shown on a constant of the operation	ations conducted upon the leased land	s. Bond coverage is

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ASSISTANT DISTRICT

Title

Approved that HOWARD B. CLEAVINGER II Conditions of approval, if any:



DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt Governor Ted Stewart Executive Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax) James W. Carter Division Director 801-359-3940 (Fax) 801-538-5319 (TDD)

October 28, 1994

Edward Neibauer Rocky Mountain Operating Company, Inc. 3281 Cherryridge Road Englewood, Colorado 80110

Cline Oil and Gas Company & S O Utah to Rocky Mountain Operating Company, Inc.

Dear Mr. Neibauer:

In reviewing the operator change for the referenced companies, it was determined that your company is not currently registered with the Utah Department of Commerce. This letter is written to advise you of your responsibility to register your company with the state prior to conducting business within Utah. This can be accomplished by contacting:

> Department of Commerce Division of Corporations 160 East 300 South Salt Lake City, Utah 84111 (801) 530-4849

> > Sincerely,

Lisha Cordova Admin. Analyst

cc:

Dept. of Commerce D.T. Staley R.J. Firth Operator File(s) Correspondence File/ldc



D. China
Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET 1 LEC 2-LWP 7-PL
Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable. 4-VIC. 9-FILE
<pre>XKK Change of Operator (well sold)</pre>
The operator of the well(s) listed below has changed (EFFECTIVE DATE: $4-1-94$
TO (new operator) (address) (address) ROCKY MT OPERATING CO INC (address) ENGLEWOOD CO 80110 EDWARD NEIBAUER phone (303) 762-0922 account no. N4890 (8-22-94) ROCKY MT OPERATING CO INC (address) FROM (former operator) (address) FROM (former operator) (address) SANTA FE NM 87501 W GEOFFREY CLINE phone (505) 982-5328 account no. N4890 (8-22-94)
<pre>Hell(s) (attach additional page if needed):</pre>
Name * 18-1/GRRV
OPERATOR CHANGE DOCUMENTATION N/A 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>former</u> operator (Attach to this form). [Feg. 8-4-94] (* See Resignation of Unit Operator of What Operator)
Let 2. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>new</u> operator (Attach to this form). (fig. 8-4-44) (held 8-9-94)
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes no) I yes, show company file number: (8-3-94) (10-28-94 4/r miled)
4. (For Indian and Federal Hells ONLY) The BLM has been contacted regarding this chang (attach Telephone Documentation Form to this report). Make note of BLM status i comments section of this form. Management review of Federal and Indian well operato changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each wellisted above. 19-31.94
6. Cardex file has been updated for each well listed above. 10-21-94
7. Well file labels have been updated for each well listed above. 10-21.99
8. Changes have been included on the monthly "Operator, Address, and Account Changes" men for distribution to State Lands and the Tax Commission.
9. A folder has been set up for the Operator Change file, and a copy of this page has bee placed there for reference during routing and processing of the original documents.

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENȚITY	REVIEW
<u> 2</u> e 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
N/H 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND V	ERIFICATION (Fee wells only)
Pic	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE	INTEREST OHNER NOTIFICATION RESPONSIBILITY
	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
<u>m/p</u> 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMIN	\mathbf{G}
_/1.	All attachments to this form have been microfilmed. Date: November 4 1994
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
2.	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMEN	
94101	19 6thals. J. Aprv. "Eight mile Flat Unit" operator eff. 10-19-94.
94/02	Le Btm/Virnal apri. "lease have wille".

WE71/34-35

TE OF UTAH DIVISION OF OIL, GAS AND MINING

Division of the first time.		5. Lease Designation and Serial Number:	
		UTU-16539	
SUNDRY NOTICES AND REPORTS C	6. If indian, Allottee or Tribe Name:		
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such	7. Unit Agreement Name:		
1. Type of Well: OIL X GAS OTHER:		6. Well Name and Number: Federal #3-1	
2. Name of Operator: ROCky Mountain Operating Company,	Inc.	9. API Well Number: #43-047-31127	
3. Address and Telephone Number: 6131 S. Forest Ct., Littleton CO	30121 (303)850 - 792	10. Field and Pool, or Wildcat: Eight Mile Flat	
4. Location of Well Footages: 1980 FNL, 699 FEL CQ, Sec.,T.,R,M.: SE NW, Sec. 3, T9S, R18E		county: Uintah State: Utah	
11. CHECK APPROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, REPOR	T, OR OTHER DATA	
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQU	ENT REPORT ginel Form Only)	
☐ Abandonment ☐ New Construction	☐ Abandonment *	☐ New Construction	
☐ Casing Repair ☐ Pull or Alter Casing	Casing Repair	Pull or Alter Casing	
☐ Change of Plans ☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize	
☐ Conversion to Injection ☐ Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare	
☐ Fracture Treat ☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off	
☐ Multiple Completion ☐ Water Shut-Off	(7) Other Annual statu	s report	
☐ Other			
	Date of work completion		
Approximate date work will start	Report results of Multiple Completions and	Recompletions to different reservoirs on WELL	
	COMPLETION OR RECOMPLETION AND LOG form. • Must be accompanied by a cement verification report.		
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and givertical depths for all markers and zones pertinent to this work.) 	re pertinent dates. If well is directionally drilled, (give subsurface locations and measured and true	
ANNUAL STATUS REPORT: Temporarily shut-in due to low oil prices and waiting on the field to be electrified to lower operating costs.			
Name & Signature: Edward Neibauer Muri	Title: <u>President</u>	Date: 2-8-96	

(See Instructions on Reverse Side)

_____TE OF UTAH DIVISION OF OIL, GAS AND MINING

	E G	E U V		
Contraction of the Contraction o	FFB	1 3 1995	s. topo o	elgnation and Serial Number: -16539

	DIVISION OF OIL, GAS AND MININ	IG	5	
		s ' 'Mad	5. these Designation and Serial Number: UTU-16539	
CUMPDY	NOTICES AND REPORTS (ON WEIV OF OIL, GAS &	MAN Allottee or Tribe Name:	
SUNDAT	NOTICES AND REPORTS	JN WELLS		
Do not use this form for prop Use APP	cosals to drill new wells, deepen existing wells, or to reented LICATION FOR PERMIT TO DRILL OR DEEPEN form for such	r plugged and abandoned wells. ch proposals.	7. Unit Agreement Name:	
1. Type of Well: OIL X GAS	OTHER:		8. Well Name and Number:	
			Federal #3-1	
2. Name of Operator: Rocky Mountain	Operating Company, Inc.	•	9. API Well Number: 43-047-31127	
3. Address and Telephone Number: 6131 S. Forest	Ct., Littleton CO 8012	21 (303)850-7921	10. Field and Pool, or Wildcat: Eight Mile Flat Unit	
4. Location of Well			County: Uintah	
	FNL, 699 FEL		County: UIIICAII	
QQ, Sec.,T.,R.M.: SE N	W, Sec. 3, T9S, R18E		State: Utah	
11. CHECK APPR	OPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPO	RT, OR OTHER DATA	
-	ICE OF INTENT ibmit in Duplicate)	· · · · · · · · · · · · · · · · · · ·	QUENT REPORT Original Form Only)	
☐ Abandonment	☐ New Construction	☐ Abandonment *	☐ New Construction	
☐ Casing Repair	Pull or Alter Casing	☐ Casing Repair	☐ Pull or Alter Casing	
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize	
☐ Conversion to Injection	☐ Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare	
☐ Fracture Treat.	☐ Vent or Flare	Fracture Treat	☐ Water Shut-Off	
☐ Multiple Completion	☐ Water Shut-Off	XXOther Annual st	atus report	
☐ Other				
		Date of work completion		
Approximate date work will star	t	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.		
DESCRIBE PROPOSED OR COMPLET vertical depths for all markers and zone	TED OPERATIONS (Clearly state all pertinent details, and gives pertinent to this work.)	ive pertinent dates. If well is directionally drille	od, give subsurface locations and measured and true	
	·	/		
price	L STATUS REPORT: Tempores and waiting on the first operating costs.	orarily shut-in du ield to be electri		
	<i>M</i> -			
13. Name & Signature: Edward N	Jeibauer Man D	Title:Presiden	nt Dete: 2-10-95	

(This space for State use only)

ST OF UTAH

DIVISION OI GAS AND MINING	8. Lease Designation and Serial Number: UTU-16539
SUNDRY NOTICES AND REPORTS O	6 Windley Allottee or Tribe Name:
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for suci	7. Unit Agreement Name;
1. Type of Well: OIL. GAS OTHER:	8. Well Name and Number: Federal #3-1
2. Name of Operator: Rocky Mountain Operating Co., Inc.	s. API Well Number: #43-047-31127
a. Address and Telephone Number: 6111 S. Forest Ct., Littleton CO 8012	10. Field and Pool, or Wildcal: Eight Mile Flat
4. Location of Well Footages: 1980 FNL, 699 FEL QQ, Sec., T., R.M.: SE NW Sec. 3, T9S, R18E	County: Uintah Stale: Utah
11. CHECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)
Abandonment New Construction Casing Repair Pull or After Casing Change of Plans Recomplution Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other Approximate date work will start 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and giventical depths for all markers and zones pertinent to this work.)	Abandonment New Construction New Construction New Construction New Construction New Construction Pull or Alter Casing Shoot or Acidize Shoot or Acidize New Conversion to Injection Vent or Flare New Conversion to Injection New Conversion New Conversi
ANNUAL STATUS REPORT: T waiting on the field to	PECEIVE FEB 13 1997 DIV. OF UIL, GAS & MINING

(This space for State use only)

DIVISION OF OIL, GAS AND MINING

	5. Lease Designation and Serial Number:				
	<u>UTU-16539</u>				
SUNDRY NOTICES AND REPORTS	ON WELLS 8. W Indian, Allottee or Tribe Name:				
Do not use this form for proposals to drill new wells, deepen existing wells, or to reents Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for su	r plugged and abandoned wells. 7. Unit Agreement Name:				
1. Type of Well: OIL GAS OTHER:	8. Well Name and Number: Federal #3-1				
2. Name of Operator: Rocky Mountain Operating Co., Inc.	# 43 -0 47 - 3 1 1 2 7				
3. Address and Telephone Number: 6111 S. Forest Ct., Littleton CO 8012	1 (303)850-7921 10. Field and Pool, or Wildcat: Eight Mile Flat				
4. Location of Well 1980 FNL, 699 FEL	county: Uintah				
αα, Sec.,T.,R.M.: SE NW Sec. 3, T9S, R18E	State: Utah				
11. CHECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT, OR OTHER DATA				
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)				
☐ Abandonment ☐ New Construction	☐ Abandonment * ☐ New Construction				
Casing Repair Pull or Alter Casing	☐ Casing Repair ☐ Pull or Alter Casing				
☐ Change of Plans ☐ Recompletion	☐ Change of Plans ☐ Shoot or Acidize				
☐ Conversion to Injection ☐ Shoot or Acidize	☐ Conversion to Injection ☐ Vent or Flare				
☐ Fracture Treat ☐ Vent or Flare	☐ Fracture Treat ☐ Water Shut-Off				
☐ Multiple Completion ☐ Water Shut-Off	数Other Annual Status Report				
Other					
	Date of work completion				
Approximate date work will start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL				
	COMPLETION OR RECOMPLETION AND LOG form. Must be accompanied by a cement verification report.				
	- Must be accompanied by a committee volumental report				
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and g vertical depths for all markers and zones pertinent to this work.)	ive pertinent dates. If well is directionally drilled, give subsurface locations and measured and true				
ANNUAL STATUS REPORT: Temporarily shut-in due to low oil prices. Also on the implementation of a water flood program.					
	DIV. OF OIL, GAS & MINING				
13. Pett. Ac. Kar	makes the second section with the second section and second section and second section of the second section in the section se				
Name & Signature: Betty Neibauer Betty Neibau	Trile: Secretary Dale: 2-9-98				

(This space for State use only)

STATE OF UTAH

· · · · · · · · · · · · · · · · · · ·	DIVISION OF GAS AND MIR	#ING	& Lease Designation and Serial Number: UTU-16539
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. If Inclian, Alictime or Tribe Name:
Do not use this form for pro	oposals to drill new walls, despen existing wells, or to re PUCATION FOR PETIMIT TO UHILL OH DEEPEN form to	enter plugged and abundoned wells. x such proposals.	7. Unit Agreement Name:
1. Type of Well: OIL 🔼 GAS			6. Well Name and Number: Federal #3-1
2. Name of Operator: Rocky Mountain	Operating Company, In	ıc.	#43-047-31127
2. Address and Telephone Number:	Ct., Littleton CO 80		10. Field and Pool or Wyldcat: Eight Mile Flat
4. Location of Well Footages: 1980 F	NL, 6,89 FEL		County: Uintah State: Utah
	Sec. 3, T9S, R18E	* TUDE OF NOTICE PER	ORT OR OTHER DATA
	ROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REP	EQUENT REPORT
• • •	TICE OF INTENT Submit in Duplicate)		ecrotics (Interest of the Control o
vertical depthe for all markers and	tart	e Must be accompanied by a cement we and give pertinent dates. If well is directionally of Temporarily shut-	ne and Recompletions to different reservoirs on WELL NND LOG form. erification report. Initied, give subsurface locations and measured and true
Mana a ogitalio.	Betty Neibauer Buty Ne		Date: 2-8-99
(This space for State use only)		naturations on Reverse Side)	ECEIVE)

(12/92)

CISM B		10	
	DIVISION OF OIL, GAS AND MINI	NG	5. Lease Deelgration and Serial Number:
		\sim	UTU-16539
SUNDR	Y NOTICES AND REPORTS	ON WELLS	G. If Indian, Allottee or Tribe Name:
Do not use this form for pr	roposals to drill new wells, deepen schilling wells, or to reen PPLICATION FOR PERMIT TO DRILL OR DEEPEN form for a	er plugged and abandoned wells. uch proposals.	7. Unit Agreement Name:
	OTHER:		e. Well Name and Number: Federal #3-1
2. Name of Operator: Rocky Mountai	n Operating Company, Ir	nc.	9. API Well Number: 43-047-31127
3. Address and Telephone Number: 6111 S. Fores	t Ct., Littleton CO 80)121 (303)850-7921	10. Field and Pool or Wildox Eight Mile Flat
4. Location of Well		,	TTd m.k h
Footages: 1980	FNL, 699 FEL		County: Uintah
	Sec. 3, T9S, R18E		State: Utah
11. CHECK APPI	ROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPO	RT, OR OTHER DATA
	TICE OF INTENT Submit in Duplicate)	1	QUENT REPORT Original Form Only)
☐ Abandon	New Construction	Abandon *	New Censtruction
Repair Casing	☐ Pull or Alter Casing	☐ Repair Casing	Pull or Alter Casing
☐ Change of Plans	☐ Recomplete	Change of Plans	☐ Reperforate
Convert to Injection	☐ Reperforate	Convert to Injection	□ Vent or Flare
☐ Fracture Treat or Acidize	☐ Vent or Flare	☐ Fracture Treat or Acidize	☐ Water Shut-Off
☐ Multiple Completion	☐ Water Shut-Off	☑ Other <u>Annual Stat</u>	us Report
Other			
`		Date of work completion	
pproximate date work will ste	art	Report results of Multiple Completions a COMPLETION OR RECOMPLETION REPO	nd Recompletions to different receivairs on WELL OFIT AND LOG form.
		* Must be accompanied by a coment verific	
		ha and and deter If well is discribedly deline	d ohe exhaustone locations and measured and true
 DESCRIBE PROPOSED OR COMPLE vertical depths for all markers and 20 	ETED OPERATIONS (Clearly state all pertinent details, and gines pertinent to this work.)	the permitting desire. It would be understooming crimer	
•	•		A Mink
	•	·	
ANNUAL S	TATUS REPORT: The well	is temporarily sh	nut-in and
	and/or plug and abando		
	rposed for approval. T	his work is schedu	ıled to be
periorme	d by July 1, 2002.		*
		<u> </u>	
13. Name & Signature: <u>Betty N</u>	eibauer Betty Newbour	Title:Agent	
(This space for State use only)			
•			produce to their garage presents the control of the control
			The same has been the same
	<u> </u>	Damma Cidal	FD #402
(4/04)	(See Instruction	ns on Reverse Side)	FID ## [] [

PARKRUF to a control of the c

STATE OF UTAH

DIVISION OF GAS AND MININ	G	5. Lesse Designation and Serial Number: UTU-16539
SUNDRY NOTICES AND REPORTS O	ON WELLS	6. If Indian, Allottee or Tribe Name:
Do not use this form for proposals to drill new wells, deepen edeting wells, or to reenter	r plugged and abandoned wells. sh proposals.	7, Unit Agreement Name:
1. Type of Well: OIL 🙀 GAS 🔲 OTHER:		4. Well Name and Number: Federal #3-1
2 Name of Operator: Rocky Mountain Operating COmpany, Inc.		e. API Well Number: #43-047-31127
3 Address and Telephone Number: 6111 S. Forest Ct., Littleton CO 8012		10. Field and Pool or Wildow: Eight Mile Flat
Footages: 1980 FNL, 699 FEL SE NW Sec. 3, T9S, R18E		County: Uintah Stude: Utah
11. CHECK APPROPRIATE BOXES TO INDICATE N		
NOTICE OF INTENT (Submit in Duplicate)	*	NUENT REPORT Original Ferm Only)
Abandon New Construction Repair Casing Putl or Alter Casing Putl or Alter Casing Recomplete Recomplete Reperforate Reperforate Vent or Flare Water Shut-Off Other Water Shut-Off Other New York Will start New York Water Shut-Off DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and givertical depths for all markers and zones pertinent to this work.)	COMPLETION OR RECOMPLETION REPO • Must be accompanied by a coment verific	nd Recompletions to different reservoirs on WELL DRT AND LOG form. cation report.
ANNUAL STATUS REPORT: Terwaiting on completion of pleases in order to help longer to have become very costly.		gas to
Name & Signas Betty Neibauer Betty Nerbaus	Tide: Agent	<u> </u>

THIS SUNDRY IS BEING RETURNED, INSUFFICIENT DATA WAS SUBMITTED THE REQUESTED ACTION.

The well has been nonactive or nonproductive for 8.17 years. In accordance with R649-3-36, a sundry notice shall be filed indicating the reasons and length of time for the well shut-in or temporary abandonment and ademonstration of the well's integrity evidence that the well is not a risk to public health and safety or the environment. Populate of the request or penuise remedial measures to be taken to exclude and relating the request. or require remedial measures to be taken to establish and maintain the wells integrity

DIVISION OF OIL, GAS AND MINING

FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL GAS AND MINING

(This space for State use only)			RECEIVED
SIGNATURE MAN	D/	TE 3/7/2003	
NAME (PLEASE PRINT) Brian Harris		Engineering Tec	hnician
Signature:	Date:_		
Name:	Title:		
Rocky Mountain Operating Company			
Effective March 1, 2003, Inland Production Company is operations of the leased lands or a portion thereof unde	responsible un er Federal Bond	der the terms and co #UT-0056.	enditions of the leases for
Effective March 1, 2003, Inland Production Company has The previous operator was: Rocky Mountain 6131 S. Forest C Littleton, Colorad	as taken over o Operating Com t.	perations of the abov	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show	all pertinent details in	cluding dates, depths, volum	es, etc.
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIO	NS RECLAMA	K ON (START/RESUME) FION OF WELL SITE ETE - DIFFERENT FORMATION	WATER DISPOSAL WATER SHUT-OFF OTHER:
CHANGE TO PREVIOUS PLANS CHANGE TUBING	OPERATOR PLUG AND	R CHANGE ABANDON	TUBING REPAIR VENT OR FLARE
(Submit in Duplicate) Approximate date work will start: CASING REPAIR	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON
NOTICE OF INTENT	DEEPEN	The strategy of the strategy o	REPERFORATE CURRENT FORMATION
11. CHECK APPROPRIATE BOXES TO INDIC		YPE OF ACTION	KI, OK OTHER DATA
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 3 9s	18e	OF NOTICE BEDO	STATE: UTAH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1980' FNL & 660' FEL	40		COUNTY: Uintah
	ZIP 80202	(303) 893-0102	Monument Butte
Inland Production Company		PHONE NUMBER:	4304731127 10. FIELD AND POOL, OR WILDCAT:
OIL WELL GAS WELL OTHER 2. NAME OF OPERATOR:	·		Hiko Bell 3-1
Do not use this form for proposals to drill new wells, significantly deepen existing wells below drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRI	LL form for such proposa	h, reenter plugged wells, or to is.	Eight Mile Flat Unit 8. WELL NAME and NUMBER:
SUNDRY NOTICES AND REPOR	TS ON WEL	LS	IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT of CA AGREEMENT NAME:
DIVISION OF OIL, GAS AND I	MINING		5. LEASE DESIGNATION AND SERIAL NUMBER: U-16539
		_	

APR 2 5 2003

STATE OF UTAH

D	5. LEASE DESIGNATION AND SERIAL NUMBER: U-16539	
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill ne	w wells, significantly deepen existing wells below current bottom-hole depth, reen erals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: Eight Mile Flat Unit
1. TYPE OF WELL OIL WELL		8. WELL NAME and NUMBER: Hiko Bell 3-1
2. NAME OF OPERATOR:		9. API NUMBER:
Inland Production Compan		4304731127
3. ADDRESS OF OPERATOR: 410 17th St.		E NUMBER: 10. FIELD AND POOL, OR WILDCAT: Monument Butte
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1980' F	NL & 660' FEL	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANG		STATE: UTAH
11. CHECK APPR	COPRIATE BOXES TO INDICATE NATURE OF I	NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION		OF ACTION
	ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING FRACTURE TREA	T SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR NEW CONSTRUCT	TION TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS OPERATOR CHAN	IGE TUBING REPAIR
	CHANGE TUBING PLUG AND ABANG	OON VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS PRODUCTION (ST	TART/RESUME) WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS RECLAMATION O	F WELL SITE OTHER:
	CONVERT WELL TYPE RECOMPLETE - D	IFFERENT FORMATION
	OMPLETED OPERATIONS. Clearly show all pertinent details including the name of the name of the name of the name.	
	,	
•		
NAME (PLEASE PRINT) Brian Har	ris title _	Engineering Technician
SIGNATURE Bura	Hami DATE	3/7/2003

(This space for State use only)

(This space for State use only)

(4/94)

(See Instructions on Reverse Side)

RECEIVED MAY 1 2 2003

DIV. OF OIL, GAS & MINING

FORM 3160-5

(June 1990)

UNITE_STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budged Bureau No. 1004-0135

Expires March 31, 1993

S.	Lease Designation and Serial No.	
	U-16539	

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

- Fight Mile Flat Unit

X Oil Well Gas well Other	MAR 1 2 2003	8. Well Name and No.
2. Name of Operator	,	Hico Bell 3-1
INLAND PRODUCTION COMPANY	Ву	9. API Well No.
3. Address and Telephone No.		43-047-31127
410 17TH STREET, SUITE 700, DE	NVER, CO 80202 (303)893-0102	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		Monument Butte
	^	11. County or Parish, State
1980' FNL & 660' FEL (SENE) Sec. 3, T9	S, R18E	Uintah Co., Utah
	INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	CTION
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing repair	Water Shut-off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Change of Operator	Dispose Water

Effective March 1, 2003, Inland Production Company will take over operations of the above mentioned Well. The previous operator was:

> Rocky Mountain Operating Company 6131 S. Forest Ct. Littleton, Colorado 80121

Effective March 1, 2003 Inland Production Company is responsible under the terms and conditons of the lease for the operations conducted on the leased lands or portions thereof. Bond coverage for this well is provided by Bond No. UT0056, issued by the Hartford Insurance Group.

RECEIVED

MAY 1 2 2003

٧G

		DIV. OF OIL, GAS & MININ
14. I hereby certify that the foregoing is true and correct Signed Brian Harris Title	Engineering Technician	Date 3/7/03
(This space of Federal or State office use.) Approved by	Petroleum Engineer	Date 4/25/03
Conditions of approval, if any:		- , ,
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to a	ny department of the United States any false, fictitious or fraudulent s	statements or representations as
to any matter within its jurisdiction.		



OPERATOR CHANGE WORKSHEET

1. GLH 2. CDW

3. FILE

X Change of Operator (Well Sold)

5. If NO, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

Merger

				<u> </u>					
			Inland Product	<u> </u>					
					Inland Production Company				
			410 17th St., S						
			Denver, CO 80						
			Phone: 1-(303)	893-0102	· · · · · · · · · · · · · · · · · · ·				
			Account No.	N5160					
			Unit:	Eight Mile	Flat				
SEC	TWN	1	API NO	ENTITY	LEASE	WELL	WELL		
				NO	TYPE	TYPE	STATUS		
		180E	4304731029	10970	Federal	ow	S		
				10969	Federal	ow	S		
				570	Federal	ow	S		
18	090S	180E	4304731142	10969	Federal	OW	S		
04	090S	180E	4304731181	10971	Federal	ow	S		
07	090S	180E	4304731202	564	Federal	ow	S		
				10276	Federal		S		
08	090S	180E	4304731547	10972	Federal	ow	S		
04	090S	180E	4304732653	10971	Federal	ow	S		
04	090S	180E	4304732654	10971	Federal	ow	S		
				 		1			
10	090S	180E	4304731214	10973	Federal	ow	S		
						ow	S		
	RNG 11 07 03 18 04 07 13 08 04 04	RNG 11 090S 07 090S 03 090S 18 090S 04 090S 03 090S 13 090S 04 090S	11 090S 180E 07 090S 180E 03 090S 180E 18 090S 180E 04 090S 180E 07 090S 180E 13 090S 180E 08 090S 180E 04 090S 180E 04 090S 180E 04 090S 180E 04 090S 180E	SEC TWN API NO RNG 11 090S 180E 4304731029 07 090S 180E 4304731126 03 090S 180E 4304731127 18 090S 180E 4304731142 04 090S 180E 4304731181 07 090S 180E 4304731277 08 090S 180E 4304731277 08 090S 180E 4304731277 04 090S 180E 4304732653 04 090S 180E 4304732653 04 090S 180E 4304732654 10 090S 180E 4304731274 08 090S 180E 4304731274	SEC TWN API NO ENTITY NO	SEC TWN API NO ENTITY LEASE TYPE	SEC TWN		

6. (R649-9-2)Waste Management Plan has been received on:	IN PLACE	-	
7. Federal and Indian Lease Wells: The BLM and or the BI or operator change for all wells listed on Federal or Indian leases on:		d the merger, name _04/16/2003 <u>BIA</u>	e change, n/a
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for v	wells listed on:	04/16/2003	
 Federal and Indian Communization Agreements ("C The BLM or BIA has approved the operator for all wells listed with 	CA"): thin a CA on:	n/a	
10. Underground Injection Control ("UIC") The Division for the enhanced/secondary recovery unit/project for the water disposition.			r of Authority to Inject,
DATA ENTRY:			
1. Changes entered in the Oil and Gas Database on:	06/27/2003	_	
2. Changes have been entered on the Monthly Operator Change Spre	ead Sheet on:	06/27/2003	
3. Bond information entered in RBDMS on:	n/a	_	
4. Fee wells attached to bond in RBDMS on:	n/a	_	·
STATE WELL(S) BOND VERIFICATION:	n/a		-
State well(s) covered by Bond Number:			
FEDERAL WELL(S) BOND VERIFICATION:			
1. Federal well(s) covered by Bond Number:	<u>UT-0056</u>	_	
INDIAN WELL(S) BOND VERIFICATION:			
1. Indian well(s) covered by Bond Number:	n/a	_	
FEE WELL(S) BOND VERIFICATION:			
1. (R649-3-1) The NEW operator of any fee well(s) listed covered by	Bond Number	<u>n/a</u>	
2. The FORMER operator has requested a release of liability from the The Division sent response by letter on:	ir bond on: n/a	n/a 	
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been conta of their responsibility to notify all interest owners of this change on:	acted and informe	d by a letter from the	Division
COMMENTS:			

²νς . Α.

FORM 3160-5

UNITED STATES

•	FORM AB CO. TO. OMB Not. 104-013 Expires Jan 1, 33-08	Y

(September 2001)			res Jan 3 00	
<u> </u>	BUREAU OF LAND MANAGEMENT		5. Lease Serial No	
Do not use t	/ NOTICES AND REPORTS ON his form for proposals to drill or t ell. Use Form 3160-3 (APD) for su	o re-enter an	UTU16539 6. If Indian, Allotte	ee or Tribe Name.
			7. If Unit or CA/A	greement, Name and/or No.
 Type of Well Oil Well Gas Well 	Other		8. Well Name and	No.
2 Name of Operator			FEDERAL 8-3-9	-18
Newfield Production Company	2h Phon	e No. (include are code)	9. API Well No. 4304731127	
3a. Address Route 3 Box 3630 Myton, UT 84052	435.646.		10. Field and Pool,	, or Exploratory Area
4. Location of Well (Footage, Sec	c., T., R., M., or Survey Description)	•	Monument Butte	
659 FEL 1980 FNL			11. County or Paris	sn, state
SE/NE Section 3 T9S R13			Uintah,UT	
12. CHEC	K APPROPRIATE BOX(ES) TO I	.,		HER DATA
TYPE OF SUBMISSION		TYPE OF ACT	ION	
Datain afferent		· · · · · · · · · · · · · · · · · · ·	luction(Start/Resume)	Water Shut-Off
Notice of Intent			lamation omplete	Well Integrity
X Subsequent Report		-	porarily Abandon	Weekly Status Report
Final Abandonment Notice	-		er Disposal	
was pulled from well. A b fracture treated as follows 17 fluid. Stage #2: PB7 s flowed back through chok New intervals were swab 4644', pump seating nippl	etion procedures initiated in the Greetit and scraper were run in well. Twit: Stage #1: BS3 sands @ 4698-47 sands @ 4386-4398'(4 JSPF) fracedes. Sand was cleaned from wellbortested for sand cleanup. BHA & project @ 4676', and end of tubing string aduction via rod pump on 10-25-04.	o new Green River intervi16'(4 JSPF) fraced w/85 I w/46,341# 20/40 sand it ie. Found existing junk 4 Induction the were run and	als were perforated, ,079# 20/40 sand in n 366 bbls Lightning 788', no attempts we d anchored in well w	and nydraulically 590 bbls Lightning 17 fluid. Fracs were ere made to mill. Vitubing anchor @
I hereby certify that the foregoing	as the and correct	Title		
Name (Pyinted Typed) Renee Palmer	V	Production Clerk		
Signature	^	Date 11/1/2004		
	destruit and destruite and the second			
Conditions of approval, if any, are attacertify that the applicant holds legal or	sched. Approval of this notice does not warrant or requitable title to those rights in the subject lease	<u>Title</u> Office	Da	ite
which would entitle the applicant to co	onduct operations thereon.		make to any department or as	pency of the United
Title 18 U.S.C. Section 1001 and Title States any false, fictitious and fraudul	e 43 U.S.C. Section 1212, make it a crime for any pent statements or representations as to any matter v	vithin its jurisdiction	make to any department of at	Solidy of the Children





Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.





Secretary of State

ARTICLES OF AMENDMENT TO THE ARTICLES OF INCORPORATION OF INLAND PRODUCTION COMPANY

In the Office of the Secretary of State of Texas

SEP 0 2 2004

Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 - Name

The name of the corporation is Inland Production Company.

ARTICLE 2 - Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE - The name of the corporation is Newfield Production Company."

ARTICLE 3 - Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs, Treasurer



United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
http://www.blm.gov

IN REPLY REFER TO: 3106 (UT-924)

September 16, 2004

Memorandum

To:

Vernal Field Office

From:

Acting Chief, Branch of Fluid Minerals

Subject:

Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Milas Llouters

Michael Coulthard Acting Chief, Branch of Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc:

MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225 State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114 Teresa Thompson Joe Incardine Connie Seare

					, ,
UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
000711	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
010-	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553·	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	•
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	•
022684A	41377	67845	74870	79832	•
027345	44210	68105	74872	79833 [,]	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	•
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	•
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078	•	
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		٠
	50750	72107	75238	•	
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		
				•	

OPERATOR CHANGE WORKSHEET

1. GLH 2. CDW

2. CDW 3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:	9/1/2004				
FROM: (Old Operator): N5160-Inland Production Company	TO: (New Operator): N2695-Newfield Production Company Route 3 Box 3630				
Route 3 Box 3630 Myton, UT 84052	Myton, UT 84052				
Phone: 1-(435) 646-3721 CA No.	Phone: 1-(435) 646-3721 Unit:				

WELL(S) NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
COUNTY LINE FED 1-35	35	080S	170E	4304731380	1461	Federal	OW	P	
COUNTY LINE FED 2-35	35	080S	170E	4304731403	1462	Federal	OW	S	
NGC ST 33-32	32	080S	180E	4304731116	6210	State	OW	P	
GULF STATE 36-13	36	080S	180E	4304731345	45	State	OW	P	
GULF STATE 36-11	36	080S	180E	4304731350	40	State	OW	P	
FEDERAL 6-13-9-16	13	090S	160E	4301332657		Federal	OW	APD	K
FEDERAL 5-13-9-16	13	090S	160E	4301332658		Federal	OW	APD	K
FEDERAL 2-13-9-16	13	090S	160E	4301332659		Federal	OW	APD	K
FEDERAL 1-13-9-16	13	090S	160E	4301332660	<u> </u>	Federal	ow	APD	K
FEDERAL 7-14R-9-17	14	090S	170E	4304731129	6165	Federal	NA	PA	K
FEDERAL 8-3-9-18	03	090S	180E	4304731127	570	Federal	ow	P	
FEDERAL 14-4-9-18	04	090S	180E	4304731181	10971	Federal	OW	P	
FEDERAL 6-7-9-18	07	090S	180E	4304731126	10969	Federal	OW	P	
FEDERAL 15-7-9-18	07	090S	180E	4304731202	564	Federal	OW	S	┷
FEDERAL 7-8-9-18	08	090S	180E	4304731274	554	Federal	OW	P	\bot
FEDERAL 6-10-9-18	10	090S	180E	4304731214	10973	Federal	OW	S	
FEDERAL 12-11-9-18	11	090S	180E	4304731029	10970	Federal	OW	S	
FEDERAL 7-13-9-18	13	090S	180E	4304731277	10276	Federal	OW	S	
FEDERAL 4-18-9-18	18	090S	180E	4304731142	10969	Federal	OW	P	丄
FEDERAL 32-29	29	090S	180E	4304731175	6170	Federal	ow	P	4
							<u> </u>		-

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:
 (R649-8-10) Sundry or legal documentation was received from the NEW operator on:
 9/15/2004

3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 2/23/2005

4. Is the new operator registered in the State of Utah: YES Business Number: 755627-0143

5. If NO, the operator was contacted contacted on:

649-9-2) Waste Management Plan has been received on:	IN PLACE			
nspections of LA PA state/fee well sites complete on:	waived			
Federal and Indian Lease Wells: The BLM and or th	ne BIA has appr	oved the	merger, i	name change,
		BLM	_	BIA
Federal and Indian Units:				
The BLM or BIA has approved the successor of unit operator	r for wells listed or	n:	n/a	_
Endoral and Indian Communication Agreements	("CA"):			
The BLM or BIA has approved the operator for all wells liste	ed within a CA on:		na/	
Chucigiouna injection control (525)				
nject, for the enhanced/secondary recovery unit/project for th	e water disposal w	ell(s) liste	d on:	2/23/2005
ra entry.				***
	2/28/2005			v.
		•		_
Changes have been entered on the Monthly Operator Change	e Spread Sheet on	ı:	2/28/200	<u> 25 </u>
Pand information entered in RRDMS on:	2/28/2005			
Bond information entered in KDD/M3 on.	2,20,200	•		
Fee/State wells attached to bond in RBDMS on:	2/28/2005			
, ppp//	2/29/2005			
Injection Projects to new operator in RBDMS on:	2/28/2003	•		
Receipt of Acceptance of Drilling Procedures for APD/New or	n:	waived		

Federal well(s) covered by Bond Number:	<u>UT 0056</u>	-		
NAN WELLS ROND VEDIEICATION.	<u></u>			· · · · · · · · · · · · · · · · · · ·
Indian well(s) covered by Bond Number:	61BSBDH2912	2		
maian won(o) covered by Zene reserve		_		
E & STATE WELL(S) BOND VERIFICATION	•			
R649-3-1) The NEW operator of any fee well(s) listed cover	ed by Bond Number	er	61BSBDH	2919
		n/a*		
he Division sent response by letter on:	11/a	-		
ASE INTEREST OWNER NOTIFICATION:				
R649-2-10) The FORMER operator of the fee wells has been	contacted and info	ormed by a	letter from	the Division
of their responsibility to notify all interest owners of this change	ge on:	n/a		
MMENTS:				
MINICIA I of an and an area an area from Inland Draduction Com	nany to Newfield D	roduction	Company -	received 2/23/05
nd rider changed operator name from Inland Production Com	pany to Newfield P	roduction	Company -	received 2/23/05
	Federal and Indian Lease Wells: The BLM and or the operator change for all wells listed on Federal or Indian lease. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator. The BLM or BIA has approved the operator for all wells listed. Underground Injection Control ("UIC") The nject, for the enhanced/secondary recovery unit/project for the nject, for the enhanced/secondary recovery unit/project for the nject, for the enhanced on the Monthly Operator Changes have been entered on the Monthly Operator Changes and information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on: Injection Projects to new operator in RBDMS on: Receipt of Acceptance of Drilling Procedures for APD/New of DERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number: DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number: E & STATE WELL(S) BOND VERIFICATION: R649-3-1) The NEW operator of any fee well(s) listed cover the FORMER operator has requested a release of liability from the Division sent response by letter on: ASE INTEREST OWNER NOTIFICATION: R649-2-10) The FORMER operator of the fee wells has been	Federal and Indian Lease Wells: The BLM and or the BIA has appror operator change for all wells listed on Federal or Indian leases on: Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: Underground Injection Control ("UIC") The Division has appronject, for the enhanced/secondary recovery unit/project for the water disposal wells agreed in the Oil and Gas Database on: Z/28/2005 Changes entered in the Oil and Gas Database on: Z/28/2005 Changes have been entered on the Monthly Operator Change Spread Sheet on Bond information entered in RBDMS on: Z/28/2005 Gee/State wells attached to bond in RBDMS on: Z/28/2005 Injection Projects to new operator in RBDMS on: DERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number: UT 0056 DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number: E & STATE WELL(S) BOND VERIFICATION: R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number he FORMER operator has requested a release of liability from their bond on: n/a ASE INTEREST OWNER NOTIFICATION: R649-2-10) The FORMER operator of the fee wells has been contacted and information and the contac	Federal and Indian Lease Wells: The BLM and or the BIA has approved the reperator change for all wells listed on Federal or Indian leases on: BLM Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: Underground Injection Control ("UIC") The Division has approved UIC Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed and Entry: Changes entered in the Oil and Gas Database on: 2/28/2005 Changes have been entered on the Monthly Operator Change Spread Sheet on: Bond information entered in RBDMS on: 2/28/2005 Entry: Changes have been entered to bond in RBDMS on: 2/28/2005 Injection Projects to new operator in RBDMS on: 2/28/2005 Execcipt of Acceptance of Drilling Procedures for APD/New on: Waived DERAL WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number: UT 0056 DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number: Executed STATE WELL(S) BOND VERIFICATION: R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number The Division sent response by letter on: ASE INTEREST OWNER NOTIFICATION: R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a R649-2-10) The FORMER operator of the fee wells has been contacted and inform	Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, it operator change for all wells listed on Federal or Indian leases on: BLM Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: Indian Communization Control ("UIC") The Division has approved UIC Form 5, Transpect, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: Indian Communization Control ("UIC") The Division has approved UIC Form 5, Transpect, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: Indian control ("UIC") The Division has approved UIC Form 5, Transpect, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: Indian wells attached to the Oil and Gas Database on: Indian well (s) covered by Bond Number: Indian well (s) co